

Acknowledgements

The research leading to these results has received funding from the European Community's Seventh Framework Programme (FP7/2007-2013) under grant agreement n 211743.

References

References

- [1] H. Grote for the LIGO Scientific Collaboration, "The status of GEO 600," *Classical and Quantum Gravity*, vol. 25, no. 11, p. 114043 (9pp), 2008. [23](#)
- [2] B. Abbott et al. (LIGO Scientific Collaboration), "LIGO: the Laser Interferometer Gravitational-Wave Observatory," *Reports on Progress in Physics*, vol. 72, no. 7, p. 076901, 2009. [23](#), [256](#)
- [3] K. Arai and the TAMA Collaboration, "Recent progress of TAMA300," *Journal of Physics: Conference Series*, vol. 120, no. 3, p. 032010, 2008. [23](#)
- [4] F. Acernese et al., "Status of Virgo," *Classical and Quantum Gravity*, vol. 25, no. 11, p. 114045 (8pp), 2008. [23](#)
- [5] B. F. Schutz, "Determining the Hubble constant from gravitational wave observations," *Nature (London)*, vol. 323, p. 310, 1986. [33](#), [34](#), [55](#)
- [6] F. Pretorius, "Evolution of binary black hole spacetimes," *Phys. Rev. Lett.*, vol. 95, 2005. [33](#)
- [7] M. Campanelli, C. Lousto, P. Marronetti, and Y. Zlochower, "Accurate evolutions of orbiting black-hole binaries without excision," *Phys. Rev. Lett.*, vol. 96, 2006.
- [8] J. Baker, J. Centrella, D.-I. Choi, M. Koppitz, and J. van Meter, "Gravitational wave extraction from an inspiraling configuration of merging black holes," *Phys. Rev. Lett.*, vol. 96, 2006. [33](#)
- [9] M. Hannam, "Status of black-hole-binary simulations for gravitational-wave detection," *arXiv:0901.2931 [gr-qc]*, 2009. [33](#)
- [10] V. Lipunov, K. Postnov, and M. Prokhorov *MNRAS*, vol. 288, p. 245, 1997. [35](#), [74](#)
- [11] K. Belczynski and T. Bulik *Astronomy and Astrophysics*, vol. 346, p. 91, 1999. [35](#), [74](#)
- [12] A. M. Hopkins and J. F. Beacom, "On the Normalization of the Cosmic Star Formation History," *Astrophys. J.*, vol. 651, pp. 142–154, Nov. 2006. [7](#), [9](#), [36](#), [71](#), [73](#)
- [13] M. Burgay, N. D'Amico, A. Possenti, R. Manchester, A. Lyne, B. Joshi, M. McLaughlin, M. Kramer, J. Sarkissian, F. Camilo, V. Kalogera, C. Kim, and D. Lorimer, "An increased estimate of the merger rate of double neutron stars from observations of a highly relativistic system," *Nature*, vol. 426, pp. 531–533, 2003. [36](#)
- [14] C. Kim, V. Kalogera, and D. R. Lorimer, "The Probability Distribution of Binary Pulsar Coalescence Rates. I. Double Neutron Star Systems in the Galactic Field," *Astrophys. J.*, vol. 584, pp. 985–995, Feb. 2003.
- [15] C. Kim, V. Kalogera, and D. R. Lorimer, "Effect of PSR J0737-3039 on the DNS Merger Rate and Implications for GW Detection," in *A life with stars*, 2006. [36](#)
- [16] T. Regimbau and S. A. Hughes, "Gravitational-wave confusion background from cosmological compact binaries: Implications for future terrestrial detectors," *Phys. Rev. D*, vol. 79, pp. 062002–+, Mar. 2009. [36](#), [71](#)

- [17] R. O’Shaughnessy, V. Kalogera, and K. Belczynski, “Binary compact object coalescence rates: The role of elliptical galaxies,” (*arXiv:0908.3635*), 2009. [36](#), [37](#)
- [18] R. O’Shaughnessy, V. Kalogera, and C. Belczynski, “Short GRBs I: Predictions from population synthesis for a heterogeneous universe,” *Astrophys. J.*, vol. 675, p. 566, March 2008. [36](#), [37](#)
- [19] K. Belczynski, V. Kalogera, F. Rasio, R. Taam, A. Zezas, T. Maccarone, and N. Ivanova, “Compact Object Modeling with the StarTrack population synthesis code,” *Astrophys. J. Suppl.*, vol. 174, pp. 223–260, Jan. 2008. [37](#)
- [20] K. Kulczycki, T. Bulik, K. Belczyński, and B. Rudak, “VIRGO sensitivity to binary coalescences and the Population III black hole binaries,” *Astron. Astrophys.*, vol. 459, pp. 1001–1006, Dec. 2006.
- [21] R. O’Shaughnessy, C. Kim, V. Kalogera, and K. Belczynski, “Constraining population synthesis models via observations of compact-object binaries and supernovae,” *Astrophys. J.*, vol. 672, p. 479, Jan. 2008.
- [22] K. Belczynski, R. E. Taam, V. Kalogera, F. A. Rasio, and T. Bulik, “On the rarity of double black hole binaries: Consequences for gravitational-wave detection,” *Astrophys. J.*, vol. 662, p. 504, 2007. [37](#)
- [23] K. Belczynski, T. Bulik, C. L. Fryer, A. Ruiter, J. S. Vink, and J. R. Hurley, “On the maximum mass of stellar black holes,” Apr. 2009. [37](#)
- [24] K. Belczynski, D. H. Hartmann, C. L. Fryer, D. E. Holz, and B. O’Shea, “On the origin of the highest redshift gamma-ray burst GRB 080913,” Dec. 2008. [37](#)
- [25] R. O’Shaughnessy, R. Kopparapu, and K. Belczynski, “Impact of star formation inhomogeneities on merger rates and interpretation of ligo results,” *submitted to Astrophys. J.*, 2008. [37](#)
- [26] T. Bulik, K. Belczynski, and A. Prestwich, “IC10 X-1: the immediate progenitor of a double black hole binary,” 2008. [37](#)
- [27] R. O’Shaughnessy, R. O’Leary, and F. Rasio, “Dynamical Interactions and the Black Hole Merger Rate of the Universe,” *Phys. Rev. D*, vol. 76, p. 061504, Oct. 2007. [37](#)
- [28] A. Sadowski, K. Belczynski, T. Bulik, N. Ivanova, F. Rasio, and R. O’Shaughnessy, “The Total Merger Rate of Compact Object Binaries in the Local Universe,” *Astrophys. J.*, vol. 676, pp. 1162–1169, Apr. 2008.
- [29] S. F. Portegies Zwart and S. L. McMillan, “Black hole mergers in the universe,” *Astrophys. J.*, vol. 528, pp. L17–L20, 2000. [37](#)
- [30] G. Hinshaw *et al.*, “Five-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Data Processing, Sky Maps, & Basic Results,” *Astrophys. J. Suppl.*, vol. 180, pp. 225–245, 2009. [38](#), [55](#)
- [31] L. Santamaria *et al.*, “Matching post-Newtonian and numerical relativity waveforms: systematic errors and a new phenomenological model for non-precessing black hole binaries,” *Phys. Rev.*, vol. D82, p. 064016, 2010. [38](#)
- [32] M. C. Miller and E. J. M. Colbert, “Intermediate-Mass Black Holes,” *International Journal of Modern Physics D*, vol. 13, pp. 1–64, Jan. 2004. [38](#)
- [33] M. C. Miller, “Intermediate-Mass Black Holes as LISA Sources,” *ArXiv e-prints*, Dec. 2008. 0812.3028. [38](#)
- [34] S. A. Farrell, N. A. Webb, D. Barret, O. Godet, and J. M. Rodrigues, “An intermediate-mass black hole of over 500 solar masses in the galaxy ESO243-49,” *Nature*, vol. 460, pp. 73–75, July 2009. [38](#)
- [35] I. Mandel, D. A. Brown, J. R. Gair, and M. C. Miller, “Rates and Characteristics of Intermediate Mass Ratio Inspirals Detectable by Advanced LIGO,” *Astrophys. J.*, vol. 681, pp. 1431–1447, July 2008. [38](#), [56](#)
- [36] J. R. Gair, I. Mandel, M. C. Miller, and M. Volonteri, “Exploring intermediate and massive black-hole binaries with the Einstein Telescope,” *ArXiv e-prints*, July 2009. 0907.5450. [38](#)

- [37] J. M. Fregeau, S. L. Larson, M. C. Miller, R. O’Shaughnessy, and F. A. Rasio, “Observing IMBH-IMBH Binary Coalescences via Gravitational Radiation,” *Astrophysical Journal Letters*, vol. 646, pp. L135–L138, Aug. 2006. 38
- [38] P. Amaro-Seoane, J. Gair, M. Freitag, M. Coleman, I. Mandel, C. Cutler, and S. Babak, “Intermediate and extreme mass-ratio inspirals – astrophysics, science applications and detection using LISA,” *Class. Quant. Grav.*, vol. 24, pp. R113–R170, 2007. 38, 56
- [39] P. Amaro-Seoane and L. Santamaria, “Detection of IMBHs with ground-based gravitational wave observatories: A biography of a binary of black holes, from birth to death,” *Astrophys. J.*, vol. 722, pp. 1197–1206, 2010. 38
- [40] P. Jaranowski, A. Krolak, and B. F. Schutz, “Data analysis of gravitational-wave signals from spinning neutron stars. I: The signal and its detection,” *Phys. Rev.*, vol. D58, p. 063001, 1998. 39, 246
- [41] B. Abbott et al. (LIGO Scientific Collaboration), “Limits on gravitational wave emission from selected pulsars using LIGO data,” *Phys. Rev. Lett.*, vol. 94, 2005. 39
- [42] B. Abbott et al. (LIGO Scientific Collaboration), “Upper limits on gravitational wave emission from 78 radio pulsars,” *Phys. Rev. D*, vol. 76, 2007.
- [43] B. Abbott *et al.*, “Beating the spin-down limit on gravitational wave emission from the crab pulsar,” *The Astrophysical Journal Letters*, vol. 683, no. 1, p. L45, 2008. 39
- [44] B. Abbott et al. (LIGO Scientific Collaboration), “First all-sky upper limits from LIGO on the strength of periodic gravitational waves using the Hough transform,” *Phys. Rev. D*, vol. 72, 2005. 40
- [45] L. Bildsten, “Gravitational radiation and rotation of accreting neutron stars,” *Astrophys. J. Lett.*, vol. 501, p. L89, 1998. 44, 69
- [46] B. Allen and J. Romano, “Detecting a stochastic background of gravitational radiation: Signal processing strategies and sensitivities,” *Phys. Rev. D*, vol. 59, 1999. 44, 48
- [47] R. Schneider, V. Ferrari, S. Matarrese, and S. Portegies Zwart, “Gravitational waves from cosmological compact binaries,” *Mon. Not. R. Astron. Soc.*, vol. 324, p. 797, 2001. 45
- [48] T. Regimbau and J. A. de Freitas Pacheco, “Stochastic Background from Coalescences of Neutron Star-Neutron Star Binaries,” *Astrophys. J.*, vol. 642, pp. 455–461, May 2006.
- [49] T. Regimbau and B. Chauvineau, “A stochastic background from extra-galactic double neutron stars,” *Classical and Quantum Gravity*, vol. 24, pp. 627–+, Oct. 2007.
- [50] T. Regimbau and V. Mandic, “Astrophysical sources of a stochastic gravitational-wave background,” *Classical and Quantum Gravity*, vol. 25, pp. 184018–+, Sept. 2008. 45
- [51] T. Regimbau and J. A. de Freitas Pacheco, “Gravitational wave emission from radio pulsars revisited,” *Astronomy and Astrophysics*, vol. 359, pp. 242–250, July 2000. 45
- [52] C.-A. Faucher-Giguère and V. M. Kaspi, “Birth and Evolution of Isolated Radio Pulsars,” *Astrophys. J.*, vol. 643, pp. 332–355, May 2006.
- [53] R. Soria, R. Perna, D. Pooley, and L. Stella, “How rapidly do neutron stars spin at birth?,” 2008. 45
- [54] R. C. Duncan and C. Thompson, “Formation of very strongly magnetized neutron stars - implications for gamma-ray bursts,” *Astrophys. J.*, vol. 392, p. L9, 1992. 45
- [55] C. Thompson and R. C. Duncan, “Neutron star dynamos and the origins of pulsar magnetism,” *Astrophys. J.*, vol. 408, p. 194, 1993. 45
- [56] T. Regimbau and J. A. de Freitas Pacheco, “Gravitational wave background from magnetars,” *Astron. Astrophys.*, vol. 447, pp. 1–7, Feb. 2006. 45
- [57] D. Brown *Phys. Rev. D*, vol. 62, p. 084024, 2000. 46

- [58] K. C. B. New, J. M. Centrella, and J. E. Tohline, “Gravitational waves from long-duration simulations of the dynamical bar instability,” *Phys. Rev. D*, vol. 62, no. 064019, 2000.
- [59] M. Shibata, W. Baumgarte, and S. Shapiro *Astrophys. J.*, vol. 542, p. 453, 2000.
- [60] M. Saijo, M. Shibata, W. Baumgarte, and S. Shapiro *Astrophys. J.*, vol. 548, p. 919, 2001.
- [61] L. Baiotti, R. D. Pietri, G. M. Manca, and L. Rezzolla, “Accurate simulations of the dynamical bar-mode instability in full general relativity,” *Phys. Rev. D*, vol. 75, p. 044023, 2007. 46
- [62] M. Shibata and Y. Sekiguchi, “Three-dimensional simulations of stellar core collapse in full general relativity: Nonaxisymmetric dynamical instabilities,” *Phys. Rev. D*, vol. 71, p. 024014, 2005. 46
- [63] B. J. Owen, L. Lindblom, C. Cutler, B. F. Schutz, A. Vecchio, and N. Andersson, “Gravitational waves from hot young rapidly rotating neutron stars,” *Phys. Rev. D*, vol. 58, 1998. 46, 62
- [64] V. Ferrari, S. Matarrese, and R. Schneider, “Stochastic background of gravitational waves generated by a cosmological population of young, rapidly rotating neutron stars,” *Mon. Not. Roy. Astron. Soc.*, vol. 303, p. 258, 1999. 46
- [65] L. Lindblom, B. Owen, and S. Morsink, “Gravitational radiation instability in hot young neutron stars,” *Phys. Rev. Lett.*, vol. 80, pp. 4843–4846, 1998. 46
- [66] D. Lai and S. L. Shapiro, “Gravitational radiation from rapidly rotating nascent neutron stars,” *Astrophys. J.*, vol. 442, p. 259, 1995. 46
- [67] C. D. Ott, A. Burrows, L. Dessart, and E. Livne, “A New Mechanism for Gravitational-Wave Emission in Core-Collapse Supernovae,” *Physical Review Letters*, vol. 96, p. 201102, May 2006. 7, 47, 48
- [68] Y.-I. Sekiguchi and M. Shibata, “Axisymmetric collapse simulations of rotating massive stellar cores in full general relativity: Numerical study for prompt black hole formation,” *Phys. Rev. D*, vol. 71, pp. 084013–+, Apr. 2005. 7, 47, 48
- [69] V. Ferrari, S. Matarrese, and R. Schneider, “Gravitational wave background from a cosmological population of core-collapse supernovae,” *Mon. Not. R. Astron. Soc.*, vol. 303, p. 247, 1999. 46
- [70] R. F. Stark and T. Piran, “GRAVITATIONAL WAVE EMISSION FROM ROTATING GRAVITATIONAL COLLAPSE,” *Phys. Rev. Lett.*, vol. 55, pp. 891–894, 1985. 46
- [71] J. C. N. de Araujo, O. D. Miranda, and O. D. Aguiar, “Stochastic background of gravitational waves,” *Phys. Rev.*, vol. D61, p. 124015, 2000. 46
- [72] F. Echeverria, “Gravitational wave measurements of the mass and angular momentum of a black hole,” *Phys. Rev.*, vol. D40, pp. 3194–3203, 1989. 46
- [73] S. Marassi, R. Schneider, and V. Ferrari, “Gravitational wave backgrounds and the cosmic transition from Population III to Population II stars,” *ArXiv e-prints*, June 2009. 46
- [74] Y. Suwa, T. Takiwaki, K. Kotake, and K. Sato, “Gravitational Wave Background from Population III Stars,” *Astrophys. J. Lett.*, vol. 665, pp. L43–L46, Aug. 2007. 48
- [75] E. Müller, M. Rampp, R. Buras, H.-T. Janka, and D. H. Shoemaker, “Toward Gravitational Wave Signals from Realistic Core-Collapse Supernova Models,” *Astrophys. J.*, vol. 603, pp. 221–230, Mar. 2004. 48
- [76] H. A. Bethe, “Supernova mechanisms,” *Rev. Mod. Phys.*, vol. 62, pp. 801–866, Oct 1990. 48, 68
- [77] H.-T. Janka, K. Langanke, A. Marek, G. Martínez-Pinedo, and B. Müller *Phys. Rep.*, vol. 442, p. 38, 2007. 48, 68
- [78] C. D. Ott, “The gravitational wave signature of core-collapse supernovae,” *Class. Quant. Grav.*, vol. 26, p. 063001, 2009. 7, 48, 49, 50, 64, 68, 69
- [79] C. D. Ott *submitted to Class. Quant. Grav.*, 2009. 48, 50, 68, 69

- [80] S. Ando and J. F. Beacom, “Revealing the supernova gamma-ray burst connection with TeV neutrinos,” *Phys. Rev. Lett.*, vol. 95, no. 6, p. 061103, 2005. [7](#), [49](#)
- [81] “Einstein telescope home page.” [50](#), [69](#)
- [82] C. Will, “Bounding the mass of the graviton using gravitational-wave observations of inspiralling compact binaries,” *Phys. Rev. D*, vol. 57, p. 2061, 1998. [51](#)
- [83] K. G. Arun and C. M. Will, “Bounding the mass of the graviton with gravitational waves: Effect of higher harmonics in gravitational waveform templates,” 2009. [51](#)
- [84] L. Blanchet, B. R. Iyer, C. M. Will, and A. G. Wiseman, “Gravitational wave forms from inspiralling compact binaries to second-post-Newtonian order,” *Class. Quantum Grav.*, vol. 13, pp. 575–584, 1996. [51](#)
- [85] K. G. Arun, L. Blanchet, B. R. Iyer, and M. S. S. Qusailah, “The 2.5PN gravitational wave polarisations from inspiralling compact binaries in circular orbits,” *Class. Quantum Grav.*, vol. 21, p. 3771, 2004. Erratum-ibid. **22**, 3115 (2005).
- [86] L. Blanchet, G. Faye, B. R. Iyer, and S. Sinha, “The third post-Newtonian gravitational wave polarisations and associated spherical harmonic modes for inspiralling compact binaries in quasi-circular orbits,” *Class. Quantum Grav.*, vol. 25, p. 165003, 2008.
- [87] C. Van Den Broeck and A. Sengupta, “Phenomenology of amplitude-corrected post-newtonian gravitational waveforms for compact binary inspiral. i. signal-to-noise ratios,” *Class. Quantum Grav.*, vol. 24, pp. 155–176, 2007. [51](#)
- [88] L. Blanchet, T. Damour, B. Iyer, C. Will, and A. Wiseman, “Gravitational-radiation damping of compact binary systems to second post-Newtonian order,” *Phys. Rev. Lett.*, vol. 74, pp. 3515–3518, 1995. [51](#)
- [89] L. Blanchet, G. Faye, B. R. Iyer, and B. Joguet, “Gravitational-wave inspiral of compact binary systems to 7/2 post-Newtonian order,” *Phys. Rev. D*, vol. 65, p. 061501(R), 2002. Erratum-ibid **71**, 129902(E) (2005).
- [90] L. Blanchet, “Energy losses by gravitational radiation in inspiralling compact binaries to five halves post-Newtonian order,” *Phys. Rev. D*, vol. 54, pp. 1417–1438, 1996. Erratum-ibid.**71**, 129904(E) (2005).
- [91] L. Blanchet, T. Damour, G. Esposito-Farèse, and B. R. Iyer, “Gravitational radiation from inspiralling compact binaries completed at the third post-Newtonian order,” *Phys. Rev. Lett.*, vol. 93, p. 091101, 2004.
- [92] T. Damour, B. Iyer, and B. Sathyaprakash, “A comparison of search templates for gravitational waves from binary inspiral,” *Phys. Rev. D*, vol. 63, 2001. Erratum-ibid. **D72** 029902 (2005).
- [93] T. Damour, B. R. Iyer, and B. S. Sathyaprakash, “A comparison of search templates for gravitational waves from binary inspiral: 3.5-PN update,” *Phys. Rev. D*, vol. 66, p. 027502, 2002. Erratum-ibid **66**, 027502 (2002). [51](#)
- [94] C. Cutler and E. Flanagan, “Gravitational waves from merging compact binaries: How accurately can one extract the binary’s parameters from the inspiral wave form?,” *Phys. Rev.*, vol. D49, pp. 2658–2697, 1994. [52](#)
- [95] E. Poisson and C. Will, “Gravitational waves from inspiraling compact binaries: Parameter estimation using second postNewtonian wave forms,” *Phys. Rev. D*, vol. 52, pp. 848–855, 1995.
- [96] K. Arun, B. Iyer, B. Sathyaprakash, and P. Sundararajan, “Parameter estimation of inspiralling compact binaries using 3.5 post-Newtonian gravitational wave phasing: The nonspinning case,” *Phys. Rev. D*, vol. 71, 2005. [52](#)
- [97] M. Vallisneri, “Use and abuse of the fisher information matrix in the assessment of gravitational-wave parameter-estimation prospects,” *Phys. Rev. D*, vol. 77, 2008. [52](#)
- [98] C. Brans and R. H. Dicke, “Mach’s principle and a relativistic theory of gravitation,” *Phys. Rev.*, vol. 124, pp. 925–935, Nov 1961. [53](#)

- [99] B. Bertotti, L. Iess, and P. Tortora, “A test of general relativity using radio links with the Cassini spacecraft,” *Nature*, vol. 425, p. 374, 2003. 53
- [100] C. M. Will, “Testing scalar - tensor gravity with gravitational wave observations of inspiraling compact binaries,” *Phys. Rev.*, vol. D 50, pp. 6058–6067, 1994. 53
- [101] A. Królak, K. Kokkotas, and G. Schäfer, “Estimation of the post-Newtonian parameters in the gravitational-wave emission of a coalescing binary,” *Phys. Rev. D*, vol. 52, pp. 2089–2111, 1995. 53
- [102] C. M. Will, *Theory and experiments in gravitational physics*. New York, USA: Cambridge University Press, 1981. 53
- [103] P. D. Scharre and C. M. Will, “Testing scalar-tensor gravity using space gravitational- wave interferometers,” *Phys. Rev. D*, vol. 65, p. 042002, 2002. 53
- [104] C. M. Will and N. Yunes, “Testing alternative theories of gravity using lisa,” *Class. Quantum Grav.*, vol. 21, p. 4367, 2004.
- [105] E. Berti, A. Buonanno, and C. Will, “Estimating spinning binary parameters and testing alternative theories of gravity with lisa,” *Phys. Rev. D*, vol. 71, 2005. 53
- [106] K. Arun, M. Iyer, Qusailah, and B. Sathyaprakash, “Testing post-newtonian theory with gravitational waves,” *Class. Quantum Grav.*, vol. 23, pp. L37–L43, 2006. 54
- [107] K. Arun, B. Iyer, M. Qusailah, and B. Sathyaprakash, “Probing the non-linear structure of general relativity with black hole binaries,” *Phys. Rev. D*, vol. 74, p. 024006, 2007.
- [108] C. Mishra, K. Arun, B. Iyer, and B. Sathyaprakash, “Parameterized tests of post-newtonian theory using advanced ligo and einstein telescope,” *Phys. Rev. D*, vol. 82, p. 064010, 2010. 54
- [109] P. J. E. Peebles and B. Ratra *Rev. Mod. Phys.*, vol. 75, p. 559, 2005. 55
- [110] B. Carter, “Axisymmetric black hole has only two degrees of freedom,” *Phys. Rev. Lett.*, vol. 26, pp. 331–333, 1971. 56
- [111] F. D. Ryan, “Gravitational waves from the inspiral of a compact object into a massive, axisymmetric body with arbitrary multipole moments,” *Phys. Rev. D*, vol. 52, pp. 5707–5718, Nov. 1995. 56, 57
- [112] D. A. Brown, J. Brink, H. Fang, J. R. Gair, C. Li, G. Lovelace, I. Mandel, and K. S. Thorne, “Prospects for Detection of Gravitational Waves from Intermediate-Mass-Ratio Inspirals,” *Phys. Rev. Lett.*, vol. 99, p. 201102, Nov. 2007. 56, 57
- [113] F. D. Ryan, “Spinning boson stars with large self-interaction,” *Phys. Rev. D*, vol. 55, pp. 6081–6091, May 1997. 57
- [114] R. Penrose, “Gravitational Collapse: the Role of General Relativity,” *Nuovo Cimento Rivista Serie*, vol. 1, p. 252, 1969. 57
- [115] M. Kesden, J. Gair, and M. Kamionkowski, “Gravitational-wave signature of an inspiral into a supermassive horizonless object,” *Phys. Rev. D*, vol. 71, p. 044015, Feb. 2005. 57
- [116] J. M. Lattimer and M. Prakash, “Neutron star observations: Prognosis for equation of state constraints,” *J. Phys. Rep.*, vol. 442, pp. 109–165, Apr. 2007. 58, 59
- [117] T. Klähn *et al.*, “Constraints on the high-density nuclear equation of state from the phenomenology of compact stars and heavy-ion collisions,” *Phys. Rev. C*, vol. 74, p. 035802, Sept. 2006.
- [118] D. Page and S. Reddy, “Dense Matter in Compact Stars: Theoretical Developments and Observational Constraints,” *Ann. Rev. Nucl. Part. Sci.*, vol. 56, pp. 327–374, Nov. 2006. 58
- [119] H. Dimmelmeier, C. Ott, H.-T. Janka, A. Marek, and E. Müller, “Generic gravitational wave signals from the collapse of rotating stellar cores,” *Phys. Rev. Lett.*, vol. 98, 2007. 59

- [120] A. Marek, H.-T. Janka, and E. Müller, “Equation-of-state dependent features in shock-oscillation modulated neutrino and gravitational-wave signals from supernovae,” *AAP*, vol. 496, pp. 475–494, Mar. 2009. [59](#)
- [121] B. J. Owen *Phys. Rev. Lett.*, vol. 95, p. 211101, 2005. [59](#), [67](#)
- [122] A. Watts, B. Krishnan, L. Bildsten, and B. Schutz, “Detecting gravitational wave emission from the known accreting neutron stars.” 2008. [59](#)
- [123] X. Zhuge, J. M. Centrella, and S. L. W. McMillan, “Gravitational radiation from the coalescence of binary neutron stars: Effects due to the equation of state, spin, and mass ratio,” *Phys. Rev. D*, vol. 54, pp. 7261–7277, Dec 1996. [59](#)
- [124] F. A. Rasio and S. L. Shapiro, “Coalescing binary neutron stars,” *Class. Quantum Grav.*, vol. 16, p. R1, 1999.
- [125] É. É. Flanagan and T. Hinderer, “Constraining neutron-star tidal Love numbers with gravitational-wave detectors,” *Phys. Rev. D*, vol. 77, p. 021502, Jan. 2008. [59](#)
- [126] J. S. Read, B. D. Lackey, B. J. Owen, and J. L. Friedman, “Constraints on a phenomenologically parameterized neutron- star equation of state,” 2008. [59](#)
- [127] J. S. Read *et al.*, “Measuring the neutron star equation of state with gravitational wave observations,” 2009. [59](#)
- [128] M. Bejger, D. Gondek-Rosińska, E. Gourgoulhon, P. Haensel, K. Taniguchi, and J. L. Zdunik, “Impact of the nuclear equation of state on the last orbits of binary neutron stars,” *Astron. Astrophys.*, vol. 431, pp. 297–306, 2005. [59](#)
- [129] M. Shibata, K. Taniguchi, and K. Uryū, “Merger of binary neutron stars with realistic equations of state in full general relativity,” *Phys. Rev. D*, vol. 71, p. 084021, 2005.
- [130] M. Shibata, “Constraining nuclear equations of state using gravitational waves from hypermassive neutron stars,” *Phys. Rev. Lett.*, vol. 94, p. 201101, May 2005. [61](#)
- [131] R. Oechslin and H. T. Janka, “Torus formation in neutron star mergers and well-localized short gamma-ray burst,” *Mon. Not. R. Astron. Soc.*, vol. 368, p. 1489, 2006.
- [132] R. Oechslin and H. T. Janka, “Gravitational waves from relativistic neutron-star mergers with microphysical equations of state,” *Phys. Rev. Lett.*, vol. 99, p. 121102, 2007.
- [133] T. Yamamoto, M. Shibata, and K. Taniguchi, “Simulating coalescing compact binaries by a new code SACRA,” *Phys. Rev. D*, vol. 78, pp. 064054–1–38, June 2008.
- [134] L. Baiotti, B. Giacomazzo, and L. Rezzolla, “Accurate evolutions of inspiralling neutron-star binaries: prompt and delayed collapse to black hole,” *Phys. Rev. D*, vol. 78, p. 084033, Apr. 2008. [59](#), [61](#)
- [135] L. Baiotti, B. Giacomazzo, and L. Rezzolla, “Accurate evolutions of inspiralling neutron-star binaries: assessment of the truncation error,” *Class. Quantum Grav.*, *in press*, *arXiv:0901.4955*, 2009. [59](#), [61](#)
- [136] J. A. Faber, T. W. Baumgarte, S. L. Shapiro, K. Taniguchi, and F. A. Rasio, “The Dynamical evolution of black hole-neutron star binaries in General Relativity: Simulations of tidal disruption,” *Phys. Rev. D*, vol. 73, p. 024012, 2006. [astro-ph/0511366](#). [59](#)
- [137] M. Shibata and K. Taniguchi, “Merger of black hole and neutron star in general relativity: Tidal disruption, torus mass, and gravitational waves,” *Phys. Rev. D*, vol. 77, p. 084015, Apr. 2008.
- [138] M. Shibata, K. Kyutoku, T. Yamamoto, and K. Taniguchi, “Gravitational waves from black hole-neutron star binaries I: Classification of waveforms,” *Phys. Rev.*, vol. D79, p. 044030, 2009. [59](#)
- [139] B. Giacomazzo, L. Rezzolla, and L. Baiotti, “The influence of magnetic fields on the gravitational-wave emission from binary neutron stars,” *arXiv:0901.2722*, vol. , 2009. [61](#)

- [140] N. Andersson, “A new class of unstable modes of rotating relativistic stars,” *Astrophysical Journal*, vol. 502, pp. 708–713, 1998. [62](#)
- [141] P. Sá and B. Tome’ *Phys. Rev. D*, vol. 74, p. 044011, 2006. [62](#)
- [142] P. Sá *Astrophys Space Sci.*, vol. 308, pp. 557–561, 2007. [62](#), [63](#)
- [143] L. Baiotti, R. De Pietri, G. Manca, and L. Rezzolla *Phys. Rev. D*, vol. 75, p. 044023, 2007. [63](#)
- [144] C. Kouveliotou, C. A. Meegan, G. J. Fishman, N. P. Bhat, M. S. Briggs, T. M. Koshut, W. S. Paciasas, and G. N. Pendleton, “Identification of two classes of gamma-ray bursts,” *Astrophys. J. Lett.*, vol. 413, pp. L101–L104, Aug. 1993. [63](#)
- [145] C. Conselice *et al. Astrophys. J.*, vol. 633, p. 29, 2005. [64](#)
- [146] T. J. Galama *et al. Nature*, vol. 395, p. 670, 1998. [64](#)
- [147] S. R. Kulkarni *et al. Nature*, vol. 395, p. 663, 1998.
- [148] J. Hjorth *et al. Nature*, vol. 423, p. 847, 2003.
- [149] S. Campana *et al. Nature*, vol. 442, 2006. [64](#)
- [150] S. E. Woosley *Astrophys. J.*, vol. 405, p. 273, 1993. [64](#)
- [151] K. Iwamoto *et al. Nature*, vol. 395, p. 672, 1998. [64](#)
- [152] J. S. Bloom and J. X. Prochaska, “Constraints on the Diverse Progenitors of GRBs from the Large-Scale Environments,” *AIP Conf. Proc.*, vol. 836, pp. 473–482, 2006. [64](#)
- [153] J. S. Bloom *et al. Astrophys. J.*, vol. 654, 2007. [64](#)
- [154] E. Nakar, A. Gal-Yam, T. Piran, and D. B. Fox, “The Distances of Short-Hard Gamma-Ray Bursts and the Soft Gamma-Ray Repeater Connection,” *Astrophys. J.*, vol. 640, pp. 849–853, Apr. 2006. [64](#), [76](#)
- [155] R. Chapman, R. S. Priddey, and N. R. Tanvir, “Short gamma-ray bursts from SGR giant flares and neutron star mergers: two populations are better than one,” *Mon. Not. R. Astron. Soc.*, p. 430, Apr. 2009. [64](#), [66](#)
- [156] B. Abbott *et al.* (LIGO Scientific Collaboration) and K. Hurley, “Implications for the Origin of GRB 070201 from LIGO Observations,” *Astrophys. J.*, vol. 681, pp. 1419–1430, 2008. [64](#), [66](#)
- [157] J. Abadie *et al.*, “Search for gravitational-wave inspiral signals associated with short gamma-ray bursts during ligo’s fifth and virgo’s first science run,” *The Astrophysical Journal*, vol. 715, no. 2, p. 1453, 2010. [64](#)
- [158] M. H. van Putten *et al. Phys. Rev. D*, vol. 69, p. 044007, 2004. [64](#)
- [159] K. Hurley *et al.*, “An exceptionally bright flare from SGR 1806-20 and the origins of short-duration γ -ray bursts,” *Nature*, vol. 434, pp. 1098–1103, Apr. 2005. [66](#)
- [160] N. R. Tanvir, R. Chapman, A. J. Levan, and R. S. Priddey, “An origin in the local Universe for some short γ -ray bursts,” *Nature*, vol. 438, pp. 991–993, Dec. 2005. [66](#)
- [161] A. J. Levan, N. R. Tanvir, P. Jakobsson, R. Chapman, J. Hjorth, R. S. Priddey, J. P. U. Fynbo, K. Hurley, B. L. Jensen, R. Johnson, J. Gorosabel, A. J. Castro-Tirado, M. Jarvis, D. Watson, and K. Wiersema, “On the nature of the short-duration GRB 050906,” *Mon. Not. R. Astron. Soc.*, vol. 384, pp. 541–547, Feb. 2008. [66](#)
- [162] D. Frederiks, R. Aptekar, T. Cline, J. Goldsten, S. Golenetskii, K. Hurley, V. Ilinskii, A. von Kienlin, E. Mazets, and V. Palshin, “GRB 051103 and GRB 070201 as Giant Flares from SGRs in Nearby Galaxies,” in *American Institute of Physics Conference Series* (M. Galassi, D. Palmer, and E. Fenimore, eds.), vol. 1000 of *American Institute of Physics Conference Series*, pp. 271–275, May 2008. [66](#)

- [163] E. O. Ofek *et al.*, “GRB 070201: A Possible Soft Gamma-Ray Repeater in M31,” *Astrophys. J.*, vol. 681, pp. 1464–1469, July 2008. [66](#)
- [164] J. A. de Freitas Pacheco *Astronomy and Astrophysics*, vol. 336, p. 397, 1998. [67](#)
- [165] R. Price and K. S. Thorne, “Non-Radial Pulsation of General-Relativistic Stellar Models. II. Properties of the Gravitational Waves,” *Astrophys. J.*, vol. 155, p. 163, Jan. 1969. [67](#)
- [166] N. Andersson and K. Kokkotas, “Towards gravitational wave asteroseismology,” *Mon. Not. R. Astron. Soc.*, vol. 299, pp. 1059–1068, 1998. [67](#)
- [167] O. Benhar, “Neutron star matter equation of state and gravitational wave emission,” *Mod. Phys. Lett. A*, vol. 20, pp. 2335–2349, 2005. [67](#)
- [168] K. Ioka *Mon. Not. R. Astron. Soc.*, vol. 327, p. 639, 2001. [67](#)
- [169] K. Nagamine, J. Ostriker, M. Fukugita, and R. Cen, “The history of cosmological star formation: Three independent approaches and a critical test using the extragalactic background,” *Astrophys. J.*, vol. 653, pp. 881–893, 2006. [9](#), [71](#), [73](#)
- [170] M. Fardal, N. Katz, D. Weinberg, and R. Davé, “On the evolutionary history of stars and their fossil mass and light,” *MNRAS*, vol. 379, pp. 985–1002, 2007. [9](#), [71](#), [73](#)
- [171] S. Wilkins, N. Trentham, and A. Hopkins *MNRAS*, vol. 385, p. 687, 2008. [9](#), [71](#), [73](#)
- [172] A. Sesana, M. Volonteri, and F. Haardt, “The imprint of massive black hole formation models on the LISA data stream,” *Mon. Not. R. Astron. Soc.*, vol. 377, pp. 1711–1716, June 2007. [74](#), [75](#)
- [173] P. Madau and M. J. Rees, “Massive Black Holes as Population III Remnants,” *Astrophys. J. Lett.*, vol. 551, pp. L27–L30, Apr. 2001. [74](#)
- [174] S. M. Koushiappas, J. S. Bullock, and A. Dekel, “Massive black hole seeds from low angular momentum material,” *Mon. Not. R. Astron. Soc.*, vol. 354, pp. 292–304, Oct. 2004. [74](#)
- [175] M. C. Begelman, M. Volonteri, and M. J. Rees, “Formation of supermassive black holes by direct collapse in pre-galactic haloes,” *Mon. Not. R. Astron. Soc.*, vol. 370, pp. 289–298, July 2006. [74](#)
- [176] P. Bender *et al.* (LISA Study Team), “LISA. Laser Interferometer Space Antenna for the detection and observation of gravitational waves. An international project in the field of Fundamental Physics in Space. Pre-Phase A report. Second Edition,” tech. rep., Max-Planck-Institut für Quantenoptik, Garching, 1998. [74](#)
- [177] M. Volonteri, F. Haardt, and P. Madau, “The Assembly and Merging History of Supermassive Black Holes in Hierarchical Models of Galaxy Formation,” *Astrophys. J.*, vol. 582, pp. 559–573, Jan. 2003. [74](#)
- [178] M. Volonteri, R. Salvaterra, and F. Haardt, “Constraints on the accretion history of massive black holes from faint X-ray counts,” *Mon. Not. R. Astron. Soc.*, vol. 373, pp. 121–127, Nov. 2006. [74](#)
- [179] A. Sesana, J. Gair, I. Mandel, and A. Vecchio, “Observing Gravitational Waves from the First Generation of Black Holes,” *Astrophys. J. Lett.*, vol. 698, pp. L129–L132, June 2009. [74](#), [75](#)
- [180] K. Levenberg, “A method for the solution of certain non-linear problems in least squares,” *The Quarterly of Applied Mathematics*, vol. 2, pp. 164–168, 1944. [77](#)
- [181] D. Marquardt, “An algorithm for least-squares estimation of nonlinear parameters,” *SIAM Journal on Applied Mathematics*, vol. 11, pp. 431–441, 1963. [77](#)
- [182] S. Nissanke, D. Holz, S. Hughes, N. Dalal, and J. Sievers, “Exploring short gamma-ray bursts as gravitational wave standard sirens,” *Astrophys. J.*, vol. 725, pp. 496–514, 2010. [78](#)
- [183] W. Zhao, C. Van Den Broeck, D. Baskaran, and T. Li, “Determination of dark energy by the einstein telescope: Comparing with cmb, bao and snia observations.” <http://arxiv.org/abs/1009.0206>. [79](#)

- [184] B. Allen, “The stochastic gravity-wave background: Sources and detection,” in *Relativistic Gravitation and Gravitational Radiation* (J.-A. Marck and J.-P. Lasota, eds.), Cambridge Contemporary Astrophysics, pp. 373–418, 1997. [80](#)
- [185] D. H. Lyth, “What would we learn by detecting a gravitational wave signal in the cosmic microwave background anisotropy?,” *Phys. Rev. Lett.*, vol. 78, pp. 1861–1863, 1997. [81](#)
- [186] M. S. Turner, “Detectability of inflation-produced gravitational waves,” *Phys. Rev.*, vol. D55, pp. 435–439, 1997. [81](#)
- [187] S. Kuroyanagi, T. Chiba, and N. Sugiyama, “Imprint of inflation dynamics on the spectrum of the primordial gravitational wave background,” *Phys. Rev.*, vol. D79, p. 103501, 2009. [81](#)
- [188] L. Grishchuk, “The implications of the microwave background anisotropies for laser-interferometer-tested gravitational waves,” *Class. Quantum Grav.*, vol. 14, pp. 1445–1454, 1997. [81](#)
- [189] L. A. Boyle and A. Buonanno, “Relating gravitational wave constraints from primordial nucleosynthesis, pulsar timing, laser interferometers, and the CMB: implications for the early universe,” *Phys. Rev.*, vol. D78, p. 043531, 2008. [81](#)
- [190] L. A. Boyle, P. J. Steinhardt, and N. Turok, “The cosmic gravitational wave background in a cyclic universe,” *Phys. Rev.*, vol. D69, p. 127302, 2004. [81](#)
- [191] C. Cartier, E. J. Copeland, and M. Gasperini, “Gravitational waves in non-singular string cosmologies,” *Nucl. Phys.*, vol. B607, pp. 406–428, 2001. [81](#)
- [192] M. B. Hindmarsh and T. W. B. Kibble, “Cosmic strings,” *Rept. Prog. Phys.*, vol. 58, pp. 477–562, 1995. [81](#)
- [193] G. R. Dvali and S. H. Tye, “Brane inflation,” *Phys. Lett.*, vol. B450, pp. 72–82, 1999. [81](#)
- [194] S. Sarangi and S. H. Tye, “Cosmic string production towards the end of brane inflation,” *Phys. Lett.*, vol. B536, pp. 185–192, 2002. [81](#)
- [195] L. Pogosian, S. H. Tye, I. Wasserman, and M. Wyman, “Observational constraints on cosmic string production during brane inflation,” *Phys. Rev.*, vol. D68, p. 023506, 2003. [81](#)
- [196] R. A. Battye, B. Garbrecht, and A. Moss, “Constraints on supersymmetric models of hybrid inflation,” *JCAP*, vol. 0609, p. 007, 2006.
- [197] N. Bevis, M. Hindmarsh, M. Kunz, and J. Urrestilla, “Fitting CMB data with cosmic strings and inflation,” *Phys. Rev. Lett.*, vol. 100, p. 021301, 2008. [81](#)
- [198] C. J. Hogan, “Gravitational waves from light cosmic strings: Backgrounds and bursts with large loops,” *Phys. Rev.*, vol. D74, p. 043526, 2006. [82](#)
- [199] T. Damour and A. Vilenkin, “Gravitational radiation from cosmic (super)strings: Bursts, stochastic background, and observational windows,” *Phys. Rev. D*, vol. 71, 2005. [82](#)
- [200] X. Siemens, V. Mandic, and J. Creighton, “Gravitational wave stochastic background from cosmic (super)strings,” *Phys. Rev. Lett.*, vol. 98, p. 111101, 2007. [9](#), [82](#)
- [201] C. Caprini, R. Durrer, T. Konstandin, and G. Servant, “General Properties of the Gravitational Wave Spectrum from Phase Transitions,” 2009. [82](#)
- [202] C. Grojean and G. Servant, “Gravitational Waves from Phase Transitions at the Electroweak Scale and Beyond,” *Phys. Rev.*, vol. D75, p. 043507, 2007. [82](#), [83](#)
- [203] A. Kosowsky, A. Mack, and T. Kahniashvili, “Gravitational radiation from cosmological turbulence,” *Phys. Rev.*, vol. D66, p. 024030, 2002. [83](#)
- [204] M. Kamionkowski, A. Kosowsky, and M. S. Turner, “Gravitational radiation from first order phase transitions,” *Phys. Rev.*, vol. D49, pp. 2837–2851, 1994. [83](#)

- [205] T. Kahniashvili, A. Kosowsky, G. Gogoberidze, and Y. Maravin, “Detectability of Gravitational Waves from Phase Transitions,” *Phys. Rev.*, vol. D78, p. 043003, 2008. 83
- [206] L. Randall and G. Servant, “Gravitational waves from warped spacetime,” *J. High Energy Phys.*, vol. 2007, no. 05, 2007. 83
- [207] N. J. Craig, “Gravitational Waves from Supersymmetry Breaking,” 2009. 83
- [208] R. Easther and E. A. Lim, “Stochastic gravitational wave production after inflation,” *JCAP*, vol. 0604, p. 010, 2006. 83
- [209] J.-F. Dufaux, A. Bergman, G. N. Felder, L. Kofman, and J.-P. Uzan, “Theory and Numerics of Gravitational Waves from Preheating after Inflation,” *Phys. Rev.*, vol. D76, p. 123517, 2007. 83
- [210] J. Garcia-Bellido, D. G. Figueroa, and A. Sastre, “A gravitational wave background from reheating after hybrid inflation,” *Phys. Rev.*, vol. D77, p. 043517, 2008. 83
- [211] J.-F. Dufaux, G. N. Felder, L. Kofman, and O. Navros, “Gravity Waves from Tachyonic Preheating after Hybrid Inflation,” *JCAP*, vol. 0903, p. 001, 2009. 83
- [212] J.-F. Dufaux, “Gravity Waves from the Non-Perturbative Decay of SUSY Flat Directions,” 2009. 83
- [213] “Moore’s law.” 84
- [214] J. Richards, “Will computers reach top speed by 2020.” http://technology.timesonline.co.uk/tol/news/tech_and_web/article2489053.ece. 85
- [215] E. S. Hans Meuer, Jack Dongarra and H. Simon, “Top500 supercomputer sites.” <http://www.top500.org/>. 85
- [216] J. J. Dongarra, P. Luszczyk, and A. Petitet, “The LINPACK Benchmark: past, present and future,” *Concurrency and Computation: Practice and Experience*, vol. 15, no. 9, pp. 803–820, 2003. 85
- [217] S. T. I. Foster, C. Kesselman, “The anatomy of the grid,” *Int. Journal of Supercomputer Application*, vol. 15, p. 3, 2001. 87
- [218] “Lhc computing grid technical site.” 87
- [219] A. e. a. Bay, “Cluster lphel de la simulation a l’analyse de donnees du lhc.” Flash Informatique F18 edition Ecole polytechnique Federale de Lausanne. 87
- [220] “Worldwide lhc computing grid site.” <http://lcg.web.cern.ch/LCG/public/tiers.htm>. 87
- [221] “Wlwg capacities site: Federation capacities.” <http://gstat-wlwg.cern.ch/apps/capacities/federations/>. 87
- [222] “Einstein@home site.” <http://einstein.phys.uwm.edu/>. 88
- [223] “Einstein@home server status page.” http://einstein.phys.uwm.edu/server_status.html. 88
- [224] “The einstein@home arecibo radio pulsar search site.” <http://einstein.phys.uwm.edu/radiopulsar/html/index.php>. 88
- [225] “Amd white paper: Amd fusion family of apus,” 2010. 89
- [226] S. Nadathur, K. Changkyu, C. Jatin, N. Anthony D., L. Victor W., K. Daehyun, and D. Pradeep, “Fast sort on cpus, gpus and intel mic architectures.” Technical Report, Intel Labs, 2010. 89
- [227] “Silicon technology.” 89
- [228] “The scc platform overview,” 2010. 89
- [229] ““single-chip cloud computer” an experimental many-core processor from intel labs.” Symposium in Santa Clara, 2010. 89
- [230] “Tilera website.” <http://www.tilera.com>. 89

- [231] M. Azimi *et al.*, “Integration challenges and tradeoffs for tera-scale architectures.” Intel Technology Journal <http://www.intel.com/technology/itj/2007/v11i3/1-integration/1-abstract.htm>, 2007. 89
- [232] S. Pat Gelsinger and co-GM of Intel’s Digital Enterprise Group (DEG). <http://java.sys-con.com/node/557154>. 90
- [233] B. S. Sathyaprakash, B. Schutz, and C. V. D. Broeck, “Cosmography with the einstein telescope,” *arXiv:0906.4151v1 [astro-ph.CO]*, June 2009. 92
- [234] K. Arun, A. Buonanno, G. Faye, and E. Ochsner, “Higher-order spin effects in the amplitude and phase of gravitational waveforms emitted by inspiraling compact binaries: Ready-to-use gravitational waveforms,” *Phys. Rev. D*, vol. 79, 2009. 92
- [235] B. Owen, “Search templates for gravitational waves from inspiralling binaries: Choise of template spacing,” *Phys. Rev. D*, vol. 53, pp. 6749–6761, 1996. 92
- [236] S. Babak, R. Balasubramanian, D. Churches, T. Cokelaer, and B. S. Sathyaprakash, “A template bank to search for gravitational waves from inspiralling compact binaries i: physical models,” *Class. Quant. Grav.*, vol. 23, 2006. 92
- [237] A. Petiteau, Y. Shang, S. Babak, and F. Feroz, “The search for spinning black hole binaries in mock lisa data using a genetic algorithm,” *Phys. Rev. D*, vol. 81, 2010. 93
- [238] L. S. Collaboration, “Searching for a stochastic background of gravitational waves with ligo,” 2006. 93, 94
- [239] L. S. Collaboration and the Virgo Collaboration, “An upper limit on the stochastic gravitational-wave background of cosmological origin,” 2009. 93
- [240] B. Abbott et al. (LIGO Scientific Collaboration), “Upper limit map of a background of gravitational waves,” 2007. 93
- [241] “Fftw home page.” 95
- [242] E. Thrane, S. Ballmer, J. D. Romano, S. Mitra, D. Talukder, S. Bose, and V. Mandic, “Probing the anisotropies of a stochastic gravitational-wave background using a network of ground-based laser interferometers,” 2009. 95
- [243] Y. Itoh, M. A. Papa, B. Krishnan, and S. X., “Chi-square test on candidate events from cw signal coherent searches,” *Class. Quant. Grav.*, vol. 21, p. S1667, 2004. 97
- [244] S. V. Dhurandhar and A. Vecchio, “Searching for continuous gravitational wave sources in binary systems,” *Phys.Rev.D*, vol. 63, p. 122001, 2001. 97
- [245] P. R. Brady, T. Creighton, C. Cutler, and B. F. Schutz, “Searching for periodic sources with ligo,” *Phys.Rev. D*, vol. 1998, p. 2101, 57. 97
- [246] R. P. Brady and T. Creighton, “Searching for periodic sources with ligo. ii: Hierarchical searches,” *Phys.Rev. D*, vol. 61, p. 082001, 2000. 97
- [247] S. Klimentko, G. Vedovato, M. Drago, G. Mazzolo, G. Mitselmakher, C. Pankow, G. Prodi, V. Re, F. Salemi, and I. Yakushin, “Localization of gravitational wave sources with networks of advanced detectors,” 2011. 99, 100
- [248] C. Ott, A. Burrows, L. Dessart, and E. Livne, “A new mechanism for gravitational wave emission in core-collapse supernovae,” *Phys. Rev.Let.*, vol. 96, p. 201102, 2006. 99
- [249] C. Ott, “The gravitational wave signature of core-collapse supernovae,” *Classical Quantum Gravity*, vol. 26, p. 063001, 2009. 99
- [250] C. e. a. Pankow, “A burst search for gravitational waves from binary black holes,” *Class. Quantum Grav.*, vol. 26, p. 204004, 2009. 99

- [251] M. H. van Putten, N. Kanda, H. Tagoshi, D. Tatsumi, F. Masa-Katsu, and M. D. Valle, “Prospects for true calorimetry on Kerr black holes in core-collapse supernovae and mergers,” 2011. **100**
- [252] J. Peterson, “Observations and modeling of seismic background noise.” Open-File report 93-322, 1993. **9, 103**
- [253] P.-Y. Bard *et al.*, “Sesame: Site effects assessment using ambient excitations,” tech. rep., 2003. Final report WP08. **103**
- [254] B. Gutenberg, “Microseisms,” *Advances in Geophysics*, vol. 5, pp. 53–92, 1958.
- [255] M. Asten, “Arrays estimators and the use of microseisms for reconnaissance of sedimentary basins,” *Bulletin of the Seismological Society of America*, vol. 68, pp. 1623 – 1636, 2002.
- [256] L. Peck, “Overview of seismic noise and its relevance to personnel detections.” ERDC/CRREL TR-08-5, US Army Corps of Engineers, April 2008. Engineer Research and Development Center. **103**
- [257] J. Peterson, “Preliminary observations of noise spectra at the SRO and ASRO stations..” Open-File report 80-992, 1980. **103**
- [258] S. Hild, S. Chelkowski, and A. Freise, “Pushing towards the ET sensitivity using ‘conventional’ technology,” *arXiv:0810.0604v2 [gr-qc]*, 2008. **104, 286**
- [259] R. Schofield, M. Ito, E. Mauceli, H. Radkins, C. Gray, G. Moreno, and G. Gonzalez., “Source and propagation of the predominant 1-50 Hz seismic signal from off-site at LIGO Hanford,” LIGO Scientific Collaboration Meeting, LIGO Hanford Observatory, Hanford, Washington, 15-17 August 2000., 2000. **106**
- [260] D. Coward, D. Blair, R. Burman, , and C. Zhao., “Vehicle-induced seismic effects at a gravitational wave observatory,” *Review of Scientific Instruments*, vol. 74, pp. 4846 – 4854, 2003. **106**
- [261] C. Young, “A comparison of the high-frequency (>1Hz) surface and subsurface noise environment at three sites in the United States,” *Bull. of the Seism. Soc. of America*, vol. 86, pp. 1516–1528, 1996. **106, 108**
- [262] **9, 107**
- [263] **9, 108**
- [264] M. Withers *et al.*, “High-frequency analysis of seismic background noise as a function of wind speed and shallow depth,” *Bulletin of the Seismological Society of America*, vol. 86, pp. 1507 – 1515, 1996. **108**
- [265] M. Beker, G. Cella, R. DeSalvo, M. Doets, H. Grote, J. Harms, E. Hennes, V. Mandic, D. Rabeling, J. van den Brand, and C. van Leeuwen, “Improving the sensitivity of future GW observatories in the 10–110 Hz band: Newtonian and seismic noise,” *General Relativity and Gravitation*, pp. 1–34, 2010. 10.1007/s10714-010-1011-7. **110**
- [266] P. R. Saulson, “Terrestrial gravitational noise on a gravitational wave antenna,” *Phys. Rev. D*, vol. 30, pp. 732–736, Aug 1984. **111, 115**
- [267] M. Beccaria *et al.*, “Relevance of Newtonian seismic noise for the VIRGO interferometer sensitivity,” *Classical and Quantum Gravity*, vol. 15, pp. 3339–3362, 1998.
- [268] S. A. Hughes and K. S. Thorne, “Seismic gravity-gradient noise in interferometric gravitational-wave detectors,” *Phys. Rev. D*, vol. 58, p. 122002, Nov 1998. **111, 113, 115**
- [269] “Comsol multiphysics version 3.5a,” 2009. **112**
- [270] M. Schevenels, *The impact of uncertain dynamic soil characteristics on the prediction of ground vibrations*. PhD thesis, Katholieke Universiteit Leuven, 2007. **112**
- [271] J. Achenbach, *Wave Propagation in Elastic Solids*, pp. 187–194. Amsterdam: North-Holland, 1973. **113**
- [272] W. Hassan and P. B. Nagy *J. Acoust. Soc. Am.*, vol. 104, p. 3107, 1998. **113**
- [273] R. Woods, “Screening the surface waves in soils,” *Proceedings of ASCE*, vol. 94, pp. 951–979. **113**

- [274] D.-S. Kim and J.-S. Lee, "Propagation and attenuation characteristics of various ground vibrations," *Soil Dyn. and Earthq. Eng.*, vol. 19, pp. 115–126, 2000. **113**
- [275] A. Caticha and R. Preuss, "Maximum entropy and bayesian data analysis: entropic priors," *Phys. Rev. E*, vol. 70, p. 046127. **117**
- [276] K. S. Thorne and C. J. Winstein, "Human gravity-gradient noise in interferometric gravitational-wave detectors," *Phys. Rev. D*, vol. 60, p. 082001, Sep 1999. **122**
- [277] E. Marchetti and M. Mazzoni, "Evidence of oceanic microseism as a source of low frequency seismic signal recorded at Virgo," 2004. **128**
- [278] **12, 141**
- [279] J.-Y. Vinet, V. Brisson, S. Braccini, I. Ferrante, L. Pinard, F. Bondu, and E. Tourniü, "Scattered light noise in gravitational interferometric detectors: A statistical approach," *Phys.Rev.*, vol. D 56, p. 6085, 1997. **152**
- [280] J.-Y. Vinet, V. Brisson, and S. Braccini, "Scattered light noise in gravitational wave interferometric detectors: Coherent effects," *Phys.Rev.*, vol. D 54, p. 1276, 1996. **152**
- [281] C. Ho, R. Powell, and P. Liley, "Thermal conductivity of the elements," *J. Phys. Chem. Ref. Data*, vol. 1, p. 279, 1972. **12, 160, 162**
- [282] J. R. Howell and R. Siegel, *Thermal Radiation Heat Transfer*. Taylor and Francis-Hemisphere, Washington, 3rd ed., 1992. **163, 165**
- [283] J. Howell, "A catalog of radiation heat transfer configuration factors, 3rd edition." <http://www.engr.uky.edu/rtl/Catalog/>. **12, 163, 164**
- [284] J. R. Howell and R. Siegel, *Thermal Radiation Heat Transfer*. Taylor and Francis-Hemisphere, Washington, 4th ed., 2001. **163**
- [285] A. J. Buschman and C. M. Pittman, "Configuration factors for exchange of radiant energy between axisymmetrical sections of cylinders, cones, and hemispheres and their bases," Tech. Rep. D-944, NASA, 1961. **163**
- [286] E. M. Sparrow and S. L. Lin, "Radiation heat transfer at a surface having both specular and diffuse reflectance components," *Int. J. Heat Mass Transfer*, vol. 8, pp. 769–779, 1965. **165**
- [287] D. S. Tsai and W. Strieder, "Radiation across and down a cylindrical pore having both specular and diffuse reflectance components," *Ind. Eng. Chem. Fundam*, vol. 25, no. 2, pp. 244–249, 1986. **166**
- [288] T. T. et. al, "Conduction effect of thermal radiation in a metal shield pipe in a cryostat for a cryogenic interferometric gravitational wave detector." arXiv:0711.0839v1, 2007. **166**
- [289] T. T. et al., "Reduction of heat load of LCGT cryostat," *Journal of Physics: Conference Series*, vol. 122, p. 012009, 2008. 7th Edoardo Amaldi Conference on Gravitational Waves, Sydney, Australia, July 2007. **166**
- [290] D. Mosher and S. J. Stephanakis, "X-ray "light pipes"," *Applied Physics Letters*, vol. 29, no. 2, pp. 105–107, 1976. **167**
- [291] K. KURODA *et al.*, "Large-scale cryogenic gravitational wave telescope," *International Journal of Modern Physics D*, vol. 8, pp. 557–579, Oct 1999. **168**
- [292] T. Tomaru *et al.*, "Vibration analysis of cryocoolers," *Cryogenics*, vol. 44, pp. 309–317, 2004. **168**
- [293] S. Caparrelli, E. Majorana, V. Moscatelli, E. Pascucci, M. Perciballi, P. Puppo, P. Rapagnani, and F. Ricci, "Vibration-free cryostat for low-noise applications of a pulse tube cryocooler," *Review of Scientific Instruments*, vol. 77, Sept. 2006. **169**

- [294] S. Riabzev, A. Veprík, H. Vilenchik, and N. Pundak, “Vibration generation in a pulse tube refrigerator,” *Cryogenics*, vol. 49, no. 1, 2009. [169](#)
- [295] T. Suzuki, T. Tomaru, T. Haruyama, N. Sato, A. Yamamoto, T. Shintomi, Y. Ikushima, and R. Li, “Pulse tube cryocooler with self-cancellation of cold stage vibration,” 2006. [12](#), [169](#), [176](#)
- [296] K. S. H. Blessing, Ph. Lebrun, “Very low-loss liquid helium transfer with long flexible cryogenic lines,” cern lep-ma/89-38, CERN, 1989. [12](#), [175](#)
- [297] P. Astone *et al.*, “Noise behaviour of the explorer gravitational wave antenna during the transition to the superfluid phase,” *Cryogenics*, vol. 32, pp. 668–670, 1992. [173](#)
- [298] T. Koettig, F. Richter, R. Nawrodt, A. Zimmer, C. Schwarz, D. Heinert, M. Thürk, and P. Seidel, “Application of novel regenerator material within a coaxial two-stage pulse tube refrigerator,” in *Advances in Cryogenic Engineering: Transactions of the Cryogenic Engineering Conference - CEC* (Boulder, ed.), vol. 53 of *AIP Conference Proceedings, Vol. 985 (2008) 235-242.*, AIP, 2008. [174](#)
- [299] N. Jiang, U. Lindemann, F. Giebler, and G. Thummes, “A 3he pulse tube cooler operating down to 1.27 k,” *Cryogenics*, vol. 44, pp. 809–816, 2004. [174](#)
- [300] T. V. Collaboration, “Advanced virgo baseline design, virgo technical report, vir-0027a-09.” 2009. [192](#), [254](#)
- [301] M. Punturo, “The virgo sensitivity curve,” *Virgo Technical Report*, vol. VIR-NOT-PER-1390-51, 2004. [13](#), [193](#)
- [302] F. Acernese *et al.*, “Properties of seismic noise at the virgo site,” *Classical and Quantum Gravity*, vol. 21, no. 5, p. S433, 2004. [193](#)
- [303] M. Ohashi *et al.*, “Laser interferometer in the kamioka mine,” *Proceedings of the 28th International Cosmic Ray Conference, Tsukuba, Japan, Universal Academy Press*, 2003, July 31-August 7. [193](#)
- [304] M. G. Beker *et al.*, “Selection criteria for et candidate sites (einstein telescope working group 1 report),” *ET Scientific Note*, vol. ET-030-09, 2009. [193](#)
- [305] T. V. Collaboration, “Virgo final design,” *E.T.S.*, vol. E.T.S, Pisa, Italy, 1995. [195](#)
- [306] G. Losurdo *et al.*, “An inverted pendulum preisolator stage for the virgo suspension system,” *Review of Scientific Instruments*, vol. 70, no. 5, pp. 2507–2515, 1999. [196](#)
- [307] G. Losurdo *et al.*, “Inertial control of the mirror suspensions of the virgo interferometer for gravitational wave detection,” *Review of Scientific Instruments*, vol. 72, no. 9, pp. 3653–3661, 2001. [196](#)
- [308] M. Beccaria *et al.*, “Extending the virgo gravitational wave detection band down to a few hz: metal blade springs and magnetic antisprings,” *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 394, no. 3, pp. 397–408, 1997. [198](#)
- [309] M. Beccaria *et al.*, “The creep problem in the virgo suspensions: a possible solution using maraging steel,” *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 404, no. 2-3, pp. 455–469, 1998. [198](#)
- [310] S. Braccini *et al.*, “The maraging-steel blades of the virgo super attenuator,” *Measurement Science and Technology*, vol. 11, no. 5, p. 467, 2000. [198](#)
- [311] A. Delapierre and F. Frasconi, “Stress distribution on the suspension wires of the virgo superattenuator.” 1997. [198](#)
- [312] S. Braccini *et al.*, “An improvement in the virgo super attenuator for interferometric detection of gravitational waves: The use of a magnetic antispring,” *Review of Scientific Instruments*, vol. 64, no. 2, pp. 310–313, 1993. [198](#)

- [313] G. Ballardini *et al.*, “Measurement of the transfer function of the steering filter of the virgo super attenuator suspension,” *Review of Scientific Instruments*, vol. 72, no. 9, pp. 3635–3642, 2001. [199](#)
- [314] F. Acernese *et al.*, “Measurements of superattenuator seismic isolation by virgo interferometer,” *Astroparticle Physics*, vol. 33, no. 3, pp. 182 – 189, 2010. [14](#), [200](#), [201](#)
- [315] S. Braccini on behalf of the ET-WG2, “Einstein telescope - seismic isolation design study.” Talk at the WP2-WP3 joint meeting (Jena), March 2010. [14](#), [200](#), [202](#), [206](#)
- [316] W. H. P. and, *Numerical Recipes in C*. Cambridge University Press, 2008 (Second Edition). [201](#)
- [317] F. Marchesoni, “Self-organized criticality and dislocation damping,” *Journal of Alloys and Compounds*, vol. 211-212, pp. 124 – 127, 1994. 10th International Conference on Internal Friction and Ultrasonic Attenuation in Solids. [204](#)
- [318] R. Poggiani, “Materials and components of possible interest for cryogenic operation of einstein telescope,” *Einstein Telescope Note*, vol. ET-026-9, 2009. [209](#), [210](#)
- [319] R. Poggiani, “Cryogenic properties of steels,” *Einstein Telescope Note*, vol. ET-102A-10, 2010. [211](#)
- [320] A. Bernardini, E. Majorana, P. Puppò, P. Rapagnani, F. Ricci, and G. Testi, “Suspension last stages for the mirrors of the Virgo interferometric gravitational wave antennas,” *Review of Scientific Instruments*, vol. 70, no. 8, pp. 3463–3472, 1999. [212](#), [230](#)
- [321] M. V. Plissi, K. A. Strain, C. I. Torrie, N. A. Robertson, S. Killbourn, S. Rowan, S. M. Twyford, H. Ward, K. D. Skeldon, and J. Hough, “Aspects of the suspension system for GEO 600,” *Review of Scientific Instruments*, vol. 69, no. 8, pp. 3055–3061, 1998. [214](#), [291](#)
- [322] B. Willke, P. Aufmuth, C. Aulbert, S. Babak, R. Balasubramanian, B. W. Barr, S. Berukoff, S. Bose, G. Cagnoli, M. M. Casey, D. Churches, D. Clubley, C. N. Colacino, D. R. M. Crooks, C. Cutler, K. Danzmann, R. Davies, R. Dupuis, E. Elliffe, C. Fallnich, A. Freise, S. Gossler, A. Grant, H. Grote, G. Heinzel, A. Heptonstall, M. Heurs, M. Hewitson, J. Hough, O. Jennrich, K. Kawabe, K. Kötter, V. Leonhardt, H. Lück, M. Malec, P. W. McNamara, S. A. McIntosh, K. Mossavi, S. Mohanty, S. Mukherjee, S. Nagano, G. P. Newton, B. J. Owen, D. Palmer, M. A. Papa, M. V. Plissi, V. Quetschke, D. I. Robertson, N. A. Robertson, S. Rowan, A. Rüdiger, B. S. Sathyaprakash, R. Schilling, B. F. Schutz, R. Senior, A. M. Sintès, K. D. Skeldon, P. Sneddon, F. Stief, K. A. Strain, I. Taylor, C. I. Torrie, A. Vecchio, H. Ward, U. Weiland, H. Welling, P. Williams, W. Winkler, G. Woan, and I. Zawischa, “The geo 600 gravitational wave detector,” *Classical and Quantum Gravity*, vol. 19, no. 7, p. 1377, 2002. [214](#), [291](#)
- [323] G. M. Harry and the LIGO Scientific Collaboration, “Advanced LIGO: the next generation of gravitational wave detectors,” *Classical and Quantum Gravity*, vol. 27, no. 8, p. 084006, 2010. [214](#), [262](#), [291](#)
- [324] N. A. Robertson, G. Cagnoli, D. R. M. Crooks, E. Elliffe, J. E. Faller, P. Fritschel, S. G. ler, A. Grant, A. Heptonstall, J. Hough, H. Lück, R. Mittleman, M. Perreux-Lloyd, M. V. Plissi, S. Rowan, D. H. Shoemaker, P. H. Sneddon, K. A. Strain, C. I. Torrie, H. Ward, and P. Willems, “Quadruple suspension design for Advanced LIGO,” *Classical and Quantum Gravity*, vol. 19, no. 15, p. 4043, 2002.
- [325] A. Cumming, A. Heptonstall, R. Kumar, W. Cunningham, C. Torrie, M. Barton, K. A. Strain, J. Hough, and S. Rowan, “Finite element modelling of the mechanical loss of silica suspension fibres for advanced gravitational wave detectors,” *Classical and Quantum Gravity*, vol. 26, no. 21, p. 215012, 2009. [214](#), [291](#)
- [326] Y. S. Touloukian and C. Y. Ho, “Thermophysical Properties of Matter,” in *Vol. 1 - Thermal Conductivity - Metallic Elements and Alloys*, Plenum, 1970. [15](#), [215](#), [216](#), [295](#)
- [327] Y. S. Touloukian and C. Y. Ho, “Thermophysical Properties of Matter,” in *Vol. 2 - Conductivity - Non-metallic Solids*, Plenum, 1970. [15](#), [215](#), [295](#)
- [328] T. Uchiyama, T. Tomaru, D. Tatsumi, S. Miyoki, M. Ohashi, K. Kuroda, T. Suzuki, A. Yamamoto, and T. Shintomi, “Mechanical quality factor of a sapphire fiber at cryogenic temperatures,” *Physics Letters A*, vol. 273, no. 5-6, pp. 310 – 315, 2000. [214](#)

- [329] T. Tomaru, T. Suzuki, T. Uchiyama, A. Yamamoto, T. Shintomi, C. T. Taylor, K. Yamamoto, S. Miyoki, M. Ohashi, and K. Kuroda, “Maximum heat transfer along a sapphire suspension fiber for a cryogenic interferometric gravitational wave detector,” *Physics Letters A*, vol. 301, no. 3-4, pp. 215 – 219, 2002.
- [330] T. Suzuki, T. Tomaru, T. Haruyama, T. Shintomi, T. Uchiyama, S. Miyoki, M. Ohashi, and K. Kuroda, “Thermal Conductance through Sapphire-Sapphire Bonding,” in *International Cosmic Ray Conference*, vol. 5 of *International Cosmic Ray Conference*, pp. 3131–+, July 2003. 214
- [331] A. Dari, F. Travasso, H. Vocca, and L. Gammaitoni, “Breaking strength tests on silicon and sapphire bondings for gravitational wave detectors,” *Classical and Quantum Gravity*, vol. 27, no. 4, p. 045010, 2010. 214, 292, 293
- [332] A. A. van Veggel, J. Scott, D. A. Skinner, B. Bezensek, W. Cunningham, J. Hough, I. Martin, P. Murray, S. Reid, and S. Rowan, “Strength testing and sem imaging of hydroxide-catalysis bonds between silicon,” *Classical and Quantum Gravity*, vol. 26, no. 17, p. 175007, 2009. 214, 238, 293
- [333] M. Alshourbagy *et al.*, “First characterization of silicon crystalline fibers produced with the μ -pulling technique for future gravitational wave detectors,” *Rev. Sci. Instrum.*, vol. 77, p. 044502, Apr 2006. 214, 217, 236
- [334] S. Reid, G. Cagnoli, D. Crooks, J. Hough, P. Murray, S. Rowan, M. Fejer, R. Route, and S. Zappe, “Mechanical dissipation in silicon flexures,” *Physics Letters A*, vol. 351, no. 4-5, pp. 205 – 211, 2006. 214, 216, 217
- [335] J. Callaway, “Model for lattice thermal conductivity at low temperatures,” *Phys. Rev.*, vol. 113, pp. 1046–1051, Feb 1959. 215
- [336] J. Callaway and H. C. von Baeyer, “Effect of point imperfections on lattice thermal conductivity,” *Phys. Rev.*, vol. 120, pp. 1149–1154, Nov 1960. 215
- [337] T. Ruf, R. W. Henn, M. Asen-Palmer, E. Gmelin, M. Cardona, H. J. Pohl, G. G. Devyatych, and P. G. Sennikov, “Thermal conductivity of isotopically enriched silicon,” *Solid State Communications*, vol. 115, no. 5, pp. 243 – 247, 2000. 15, 216
- [338] D. T. Morelli, J. P. Heremans, and G. A. Slack, “Estimation of the isotope effect on the lattice thermal conductivity of group iv and group iii-v semiconductors,” *Phys. Rev. B*, vol. 66, p. 195304, Nov 2002. 215
- [339] Y. S. Touloukian and C. Y. Ho, “Thermophysical Properties of Matter,” in *Vol. 4 - Specific Heat - Metallic Elements and Alloys*, Plenum, 1970. 217
- [340] Y. S. Touloukian and C. Y. Ho, “Thermophysical Properties of Matter,” in *Vol. 5 - Specific Heat - Nonmetallic Solids*, Plenum, 1970. 217, 295
- [341] Y. S. Touloukian and C. Y. Ho, “Thermophysical Properties of Matter,” in *Vol. 12 - Thermal Expansion - Metallic Elements and Alloys*, Plenum, 1970. 217
- [342] Y. S. Touloukian and C. Y. Ho, “Thermophysical Properties of Matter,” in *Vol. 13 - Thermal Expansion - Nonmetallic Solids*, Plenum, 1970. 217, 295
- [343] D. F. McGuigan, C. C. Lam, R. Q. Gram, A. W. Hoffman, D. H. Douglass, and H. W. Gutche, “Measurements of the mechanical Q of single-crystal silicon at low temperatures,” *Journal of Low Temperature Physics*, vol. 30, pp. 621–629, 1978. 10.1007/BF00116202. 15, 216, 218, 292, 295
- [344] S. Rowan, G. Cagnoli, P. Sneddon, J. Hough, R. Route, E. K. Gustafson, M. M. Fejer, and V. Mitrofanov, “Investigation of mechanical loss factors of some candidate materials for the test masses of gravitational wave detectors,” *Physics Letters A*, vol. 265, no. 1-2, pp. 5 – 11, 2000. 216, 295
- [345] S. Rowan, R. L. Byer, M. M. Fejer, R. Route, G. Cagnoli, D. R. M. Crooks, J. Hough, P. H. Sneddon, and W. Winkler, “Test mass materials for a new generation of gravitational wave detectors,” in *Proceedings of SPIE*, vol. 4856, 2003. 292

- [346] R. Nawrodt, A. Zimmer, T. Koettig, C. Schwarz, D. Heinert, M. Hudl, R. Neubert, M. Thürk, S. Nietzsche, W. Vodel, P. Seidel, and A. Tünnermann, “High mechanical q-factor measurements on silicon bulk samples,” *Journal of Physics: Conference Series*, vol. 122, no. 1, p. 012008, 2008. [216](#), [295](#)
- [347] R. Nawrodt *et al.*, “Investigation of mechanical losses of thin silicon flexures at low temperatures,” *arXiv:1003.2893v1*, 2010. [15](#), [216](#), [218](#)
- [348] S. Rowan, R. Hutchins, A. McLaren, N. A. Robertson, S. M. Twyford, and J. Hough, “The quality factor of natural fused quartz ribbons over a frequency range from 6 to 160 Hz,” *Physics Letters A*, vol. 227, no. 3-4, pp. 153 – 158, 1997. [216](#)
- [349] A. Heptonstall, G. Cagnoli, J. Hough, and S. Rowan, “Characterisation of mechanical loss in synthetic fused silica ribbons,” *Physics Letters A*, vol. 354, no. 5-6, pp. 353 – 359, 2006.
- [350] A. M. Gretarsson and G. M. Harry, “Dissipation of mechanical energy in fused silica fibers,” *Review of Scientific Instruments*, vol. 70, no. 10, pp. 4081–4087, 1999.
- [351] S. D. Penn, G. M. Harry, A. M. Gretarsson, S. E. Kittelberger, P. R. Saulson, J. J. Schiller, J. R. Smith, and S. O. Swords, “High quality factor measured in fused silica,” *Review of Scientific Instruments*, vol. 72, no. 9, pp. 3670–3673, 2001.
- [352] S. D. Penn, A. Ageev, D. Busby, G. M. Harry, A. M. Gretarsson, K. Numata, and P. Willems, “Frequency and surface dependence of the mechanical loss in fused silica,” *Phys. Lett. A*, vol. 352, no. 1-2, pp. 3 – 6, 2006. [216](#), [292](#), [295](#)
- [353] I. Martin *et al.*, “Measurements of a low-temperature mechanical dissipation peak in a single layer of ta₂o₅ doped with tio₂,” *Classical and Quantum Gravity*, vol. 25, p. 055005, 2008. [218](#), [296](#)
- [354] I. W. Martin, E. Chalkley, R. Nawrodt, H. Armandula, R. Bassiri, C. Comtet, M. M. Fejer, A. Gretarsson, G. Harry, D. Heinert, J. Hough, I. MacLaren, C. Michel, J.-L. Montorio, N. Morgado, S. Penn, S. Reid, R. Route, S. Rowan, C. Schwarz, P. Seidel, W. Vodel, and A. L. Woodcraft, “Comparison of the temperature dependence of the mechanical dissipation in thin films of ta₂o₅ and ta₂o₅ doped with tio₂,” *Classical and Quantum Gravity*, vol. 26, no. 15, p. 155012, 2009.
- [355] I. W. Martin, R. Bassiri, R. Nawrodt, M. M. Fejer, A. Gretarsson, E. Gustafson, G. Harry, J. Hough, I. MacLaren, S. Penn, S. Reid, R. Route, S. Rowan, C. Schwarz, P. Seidel, J. Scott, and A. L. Woodcraft, “Effect of heat treatment on mechanical dissipation in ta₂o₅ coatings,” *Classical and Quantum Gravity*, vol. 27, no. 22, p. 225020, 2010. [218](#), [296](#)
- [356] F. Piergiovanni, M. Punturo, and P. Puppò, “The thermal noise of the Virgo+ and Virgo Advanced Last Stage Suspension (The PPP effect),” tech. rep., 2009. [219](#), [220](#), [225](#)
- [357] P. Puppò, “A thermal noise model for a branched system of harmonic oscillators,” *Journal of Physics: Conference Series*, vol. 228, no. 1, p. 012031, 2010. [219](#)
- [358] S. Amadori, E. Bonetti, L. Pasquini, P. Deodati, R. Donnini, R. Montanari, and C. Testani, “Low temperature anelasticity in ti₆al₄v alloy and ti₆al₄v-sicf composite,” *Materials Science and Engineering: A*, vol. 521-522, pp. 340 – 342, 2009. 15th International Conference on Internal Friction and Mechanical Spectroscopy. [220](#)
- [359] P. Falferi, “<http://www.magnetshop.com/>.” [230](#)
- [360] M. Hewitson, H. Grote, G. Heinzel, K. A. Strain, H. Ward, and U. Weiland, “Calibration of geo 600 for the s1 science run,” *Class. Quantum Grav.*, vol. 20, pp. S885–S893, 2003. [233](#)
- [361] P. Amico, L. Bosi, L. Carbone, L. Gammaitoni, M. Punturo, F. Travasso, and H. Vocca, “Mechanical quality factor of mirror substrates for virgo,” *Class. Quantum Grav.*, vol. 19, pp. 1663–1668, 2002. [233](#)
- [362] S. Grasso, C. Altucci, F. Barone, V. Ragozzino, S. Solimeno, T. Pham, J. Y. Vinet, and R. Abbate, “Electrostatic systems for fine control of mirror orientation in interferometric gw antennas,” *Physics Letters A*, vol. 244, pp. 360–370, 1998. [234](#)

- [363] M. J. Mortonson, C. C. Vassiliou, D. J. Ottaway, D. H. Shoemaker, and G. M. Harrya, “Effects of electrical charging on the mechanical q of a fused silica disk,” *Review of Scientific Instruments*, vol. 74, pp. 4840–4845, 2003. [234](#)
- [364] M. Hewitson, K. Danzmann, H. Grote, S. Hild, J. Hough, H. Luck, S. Rowan, J. Smith, K. Strain, and B. Willke, “Charge measurement and mitigation for the main test masses of the geo 600 gravitational wave observatory,” *Class. Quantum Grav.*, vol. 24, 2007. [234](#)
- [365] R. D. Rosa, F. Garufi, L. Milano, S. Mosca, and G. Persichetti, “Characterization of electrostatic actuators for suspended mirror control with modulated bias,” *Jou. of Physics: Conf. Series*, vol. 228, p. 012018, 2010. [234](#)
- [366] F. Acernese, F. Barone, A. Boiano, R. D. Rosa, F. Garufi, L. Milano, S. Mosca, A. Perreca, G. Persichetti, and R. Romano, “Application of a hybrid modular acquisition system to the control of a suspended interferometer with electrostatic actuators,” *Jou. of Physics: Conf. Series*, vol. 122, p. 012011, 2008. [234](#)
- [367] C. Lam and D. Douglas, “Internal friction measurements in boron-doped single-crystal silicon,” *Physics Letters*, vol. 85, pp. 41 – 42, 1981. [236](#)
- [368] D. F. McGuigan, C. Lam, R. Q. Gram, A. W. Hoffman, D. H. Douglas, and H. W. Gutche, “Measurements of the mechanical q of single-crystal silicon at low temperatures,” *Journal of Low Temperature Physics*, vol. 30, p. 621, 1978. [236](#)
- [369] L. Lagonigro *et al.*, “Low loss silicon fibers for photonics applications,” *Appl. Phys. Lett.*, 2010. [236](#)
- [370] A. Toncelli Private communication, 2010. [236](#)
- [371] J. Liu, L. Ju, and D. Blair, “Vibration isolation performance of an ultra-low frequency folded pendulum resonator,” *Phys. Lett. A*, vol. 228, pp. 243–249, 1997. [239](#), [240](#), [241](#)
- [372] A. Bertolini, R. DeSalvo, F. Fidecaro, M. Francesconi, S. Marka, V. Sannibale, D. Simonetti, A. Takamori, and H. Tariq, “Mechanical design of a single axis monolithic accelerometer for advanced seismic attenuation systems,” *Nucl. Instr. and Meth.*, vol. 556, pp. 616–623, 2006. [239](#), [241](#)
- [373] F. Acernese, R. D. Rosa, G. Giordano, R. Romano, S. Vilasi, and F. Barone, “New tunable mechanical monolithic horizontal seismometer for low frequency seismic noise measurement,” in *Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems* (P. of SPIE, ed.), vol. 7647, 2008. [239](#), [241](#)
- [374] F. Acernese, R. D. Rosa, G. Giordano, R. Romano, and F. Barone, “Mechanical monolithic horizontal sensor for low frequency seismic noise measurement,” *Rev. Sci. Instrum.*, vol. 79, p. 074501, 2008. [239](#), [241](#)
- [375] A. Freise, S. Chelkowski, S. Hild, W. D. Pozzo, A. Perreca, and A. Vecchio, “Triple Michelson interferometer for a third-generation gravitational wave detector,” *Classical and Quantum Gravity*, vol. 26, no. 8, p. 085012 (14pp), 2009. [246](#), [247](#), [248](#), [249](#)
- [376] Y. Chen, “Sagnac interferometer as a speed-meter-type, quantum-nondemolition gravitational-wave detector,” *Phys. Rev. D*, vol. 67, p. 122004, 2003. [247](#), [257](#), [287](#), [335](#)
- [377] S. L. Danilishin and F. Y. Khalili, “Practical design of the optical lever intracavity topology of gravitational-wave detectors,” *Phys. Rev. D*, vol. 73, pp. 022002–+, Jan. 2006.
- [378] Y. Chen, A. Pai, K. Somiya, S. Kawamura, S. Sato, K. Kokeyama, R. L. Ward, K. Goda, and E. E. Mikhailov, “Interferometers for displacement-noise-free gravitational-wave detection,” *Physical Review Letters*, vol. 97, pp. 151103–+, Oct. 2006. [247](#)
- [379] K.-X. Sun, M. M. Fejer, E. Gustafson, and R. L. Byer, “Sagnac interferometer for gravitational-wave detection,” *Phys. Rev. Lett.*, vol. 76, pp. 3053–3056, Apr 1996. [247](#), [258](#), [336](#)

- [380] J. Mizuno, A. Ruediger, R. Schilling, W. Winkler, and K. Danzmann, “Frequency response of michelson- and sagnac-based interferometers,” *Optics Communications*, vol. 138, no. 4-6, pp. 383 – 393, 1997. [247](#)
- [381] W. Winkler, K. Maischberger, A. Ruediger, R. Schilling, L. Schnupp, D. Hoemaker, and D. Shoemaker, W. Winkler, K. Maischberger, A. Ruediger, R. Schilling, & L. Schnupp, eds., *Plans for a large gravitational wave antenna in Germany*, Aug. 1985. [247](#)
- [382] Y. Gürsel and M. Tinto, “Near optimal solution to the inverse problem for gravitational-wave bursts,” *Phys. Rev. D*, vol. 40, pp. 3884–3938, 1989. [248](#)
- [383] S. Chelkowski, “A topology review: The sagnac effect.” talk at Hannover ET-WP3 meeting 2009. [250](#)
- [384] V. B. Braginsky, “Classical and quantum restrictions on detection of weak distributions of a macroscopic oscillator,” *Sov. Phys. JETP*, vol. 26, p. 831, 1968. [250](#)
- [385] V. B. Braginsky and F. Y. Khalili, *Quantum measurement*. Cambridge University Press, 1999. [250](#), [262](#)
- [386] S. Hild, S. Chelkowski, A. Freise, J. Franc, N. Morgado, R. Flaminio, and R. DeSalvo, “A xylophone configuration for a third-generation gravitational wave detector,” *Classical and Quantum Gravity*, vol. 27, p. 015003 (8pp), 2010. [251](#), [255](#), [260](#)
- [387] V. B. Braginsky, M. L. Gorodetsky, F. Y. Khalili, A. B. Matsko, K. S. Thorne, and S. P. Vyatchanin, “Noise in gravitational-wave detectors and other classical-force measurements is not influenced by test-mass quantization,” *Phys. Rev. D*, vol. 67, p. 082001, Apr 2003. [251](#)
- [388] H. J. Kimble, Y. Levin, A. B. Matsko, K. S. Thorne, and S. P. Vyatchanin, “Conversion of conventional gravitational-wave interferometers into quantum nondemolition interferometers by modifying their input and/or output optics,” *Phys. Rev. D*, vol. 65, p. 022002, Dec 2001. [251](#), [259](#), [260](#)
- [389] B. Mours, E. Tournefier, and J.-Y. Vinet, “Thermal noise reduction in interferometric gravitational wave antennas: using high order TEM modes,” *Classical and Quantum Gravity*, vol. 23, pp. 5777–5784, 2006. [252](#), [331](#)
- [390] J.-Y. Vinet, “Reducing thermal effects in mirrors of advanced gravitational wave interferometric detectors,” *Class. Quantum Grav.*, vol. 24, no. 15, pp. 3897 – 3910, 2007. [252](#), [308](#), [331](#)
- [391] M. Rakhmanov, “Response of test masses to gravitational waves in the local lorentz gauge,” *Phys. Rev. D*, vol. 71, 2005. [252](#)
- [392] Y. Chen and S. Kawamura, “Displacement- and timing-noise free gravitational-wave detection,” *Phys. Rev. Lett.*, vol. 96, 2006. [252](#)
- [393] Y. Chen *et al.*, “Interferometers for displacement-noise-free gravitational-wave detection,” *Phys. Rev. Lett.*, vol. 97, 2006. [252](#)
- [394] K. Somiya *et al.*, “Utility investigation of artificial time delay in displacement-noise-free interferometers,” *Phys. Rev. D*, vol. 76, 2007. [252](#)
- [395] S. Tarabrin and S. Vyatchanin, “Displacement-noise-free gravitational-wave detection with a single fabry-perot cavity: a toy model,” *Phys. Lett. A*, vol. 372, 2008. [252](#)
- [396] A. Rakhubovsky and S. Vyatchanin, “Displacement-noise-free gravitational-wave detection with two fabry-perot cavities,” *Phys. Lett. A*, vol. 373, 2008. [252](#)
- [397] S. Tarabrin and S. Vyatchanin, “Double michelson/fabry-perot interferometer for laser- and displacement-noise-free gravitational-wave detection.” arXiv:0904.3296v1, 2009. [252](#)
- [398] S. Vyatchanin, “Displacement-noise-free resonant speed meter for gravitational-wave detection.” arXiv:0808.3445v1, 2008. [252](#)
- [399] C. Hogan, “Holographic noise in interferometers.” arXiv:0905.4803v8, 2009. [253](#)

- [400] C. Hogan and M. Jackson, “Holographic geometry and noise in matrix theory,” *Phys. Rev. D*, vol. 79, 2009. [253](#)
- [401] C. Hogan *et al.*, “The fermilab holometer. a program to measure planck scale indeterminacy,” 2009. [253](#)
- [402] S. Dimopoulos *et al.*, “Atomic gravitational wave interferometric sensor,” *Phys. Rev. D*, vol. 78, 2008. [254](#)
- [403] Advanced LIGO Team, “Advanced LIGO Reference Design,” tech. rep., 2006. [254](#), [257](#), [322](#)
- [404] H. Müller-Ebhardt, H. Rehbein, S. Hild, A. Freise, Y. Chen, R. Schnabel, K. Danzmann, and H. Lück, “Review of quantum non-demolition schemes for the einstein telescope.” <https://tds.ego-gw.it/itf/tds/file.php?callFile=ET-010-09.pdf>, 2009. ET-010-09. [255](#), [256](#), [257](#), [258](#), [260](#)
- [405] J. Harms, R. Schnabel, and K. Danzmann, “Finite mass beam splitter in high power interferometers,” *Phys. Rev. D*, vol. 70, p. 102001, 2004. [255](#)
- [406] B. J. Meers, “Recycling in laser-interferometric gravitational-wave detectors,” *Phys. Rev. D*, vol. 38, p. 2317, 1988. [256](#)
- [407] L. D. Fiore and the VIRGO collaboration, “The present status of the VIRGO Central Interferometer,” *Class. Quant. Grav.*, vol. 19, p. 1421, 2002. [256](#)
- [408] M. Ando and the TAMA collaboration, “Stable operation of a 300-m laser interferometer with sufficient sensitivity to detect gravitational-wave events within our galaxy,” *Phys. Rev. Lett.*, vol. 86, p. 3950, 2001. [256](#)
- [409] G. Heinzl, K. A. Strain, J. Mizuno, K. D. Skeldon, B. Willke, W. Winkler, R. Schilling, A. Ruediger, and K. Danzmann, “Experimental demonstration of a suspended dual recycling interferometer for gravitational wave detection,” *Phys. Rev. Lett.*, vol. 81, p. 5493, 1998. [256](#)
- [410] A. Freise, G. Heinzl, K. A. Strain, J. Mizuno, K. D. Skeldon, H. Lück, B. Willke, R. Schilling, A. Rüdiger, W. Winkler, and K. Danzmann, “Demonstration of detuned dual recycling at the Garching 30 m laser interferometer,” *Physics Letters A*, vol. 277, no. 3, pp. 135 – 142, 2000. [256](#)
- [411] K. Somiya, P. Beyersdorf, K. Arai, S. Sato, S. Kawamura, O. Miyakawa, F. Kawazoe, S. Sakata, A. Sekido, and N. Mio, “Development of a frequency-detuned interferometer as a prototype experiment for next-generation gravitational-wave detectors,” *Appl. Opt.*, vol. 44, p. 3179, 2005. [256](#)
- [412] O. Miyakawa *et al.*, “Measurement of optical response of a detuned resonant sideband extraction gravitational wave detector,” *Phys. Rev. D*, vol. 74, p. 022001, 2006. [256](#), [257](#)
- [413] H. Grote, A. Freise, M. Malec, G. Heinzl, B. Willke, H. Lueck, K. A. Strain, J. Hough, and K. Danzmann, “Dual recycling for geo 600,” *Class. Quantum Grav.*, vol. 21, p. S473, 2004. [256](#)
- [414] A. Buonanno and Y. Chen, “Quantum noise in second generation, signal-recycled laser interferometric gravitational-wave detectors,” *Phys. Rev. D*, vol. 64, p. 042006, 2001. [256](#)
- [415] A. Buonanno and Y. Chen, “Signal recycled laser-interferometer gravitational-wave detectors as optical springs,” *Phys. Rev. D*, vol. 65, p. 042001, 2002.
- [416] A. Buonanno and Y. Chen, “Scaling law in signal recycled laser-interferometer gravitational-wave detectors,” *Phys. Rev. D*, vol. 67, p. 062002, 2003.
- [417] H. Rehbein, H. Müller-Ebhardt, K. Somiya, S. L. Danilishin, R. Schnabel, K. Danzmann, and Y. Chen, “Double optical spring enhancement for gravitational wave detectors,” *Phys. Rev. D*, vol. 78, p. 062003, 2008. [256](#), [257](#)
- [418] T. Corbitt, Y. Chen, E. Innerhofer, H. Müller-Ebhardt, D. Ottaway, H. Rehbein, D. Sigg, S. Whitcomb, C. Wipf, and N. Mavalvala, “An all-optical trap for a gram-scale mirror,” *Phys. Rev. Lett.*, vol. 98, p. 150802, Apr 2007. [257](#)
- [419] F. Y. Khalili and Y. Levin, “Speed meter as a quantum nondemolition measuring device for force,” *Phys. Rev. D*, vol. 54, p. 4735, 1996. [257](#)

- [420] F. Y. Khalili, “The optical lever intracavity readout scheme for gravitational-wave antennae,” *Phys. Lett. A*, vol. 298, p. 308, 2002. [257](#), [287](#)
- [421] P. Purdue, “Analysis of a quantum nondemolition speed-meter interferometer,” *Phys. Rev. D*, vol. 66, p. 022001, 2002. [257](#), [335](#)
- [422] P. Purdue and Y. Chen, “Practical speed meter designs for quantum nondemolition gravitational-wave interferometers,” *Phys. Rev. D*, vol. 66, p. 122004, 2002. [257](#), [259](#), [335](#)
- [423] K. McKenzie, “Private communication,” 2008. [257](#)
- [424] S. L. Danilishin, “Sensitivity limitations in optical speed meter topology of gravitational-wave antennas,” *Phys. Rev. D*, vol. 69, p. 102003, 2004. [257](#)
- [425] H. Müller-Ebhardt, *On quantum effects in the dynamics of macroscopic test masses*. PhD thesis, Leibniz Universität Hannover, 2009. [257](#), [258](#)
- [426] T. Eberle, S. Steinlechner, J. Bauchowitz, V. Haendchen, H. Vahlbruch, M. Mehmet, H. Müller-Ebhardt, and R. Schnabel, “Quantum enhancement of the zero-area sagnac interferometer topology for gravitational wave detection,” *Phys. Rev. Lett.*, 2010. [257](#), [259](#), [266](#), [336](#)
- [427] F. Khalili, S. Danilishin, H. Müller-Ebhardt, H. Miao, Y. Chen, and C. Zhao, “Negative optical inertia for enhancing the sensitivity of future gravitational-wave detectors.” <http://arxiv.org/abs/1010.1124>. [258](#)
- [428] V. B. Braginsky and F. Y. Khalili, “Nonlinear meter for the gravitational wave antenna,” *Phys. Lett. A*, vol. 218, p. 167, 1996. [258](#)
- [429] V. B. Braginsky, M. L. Gorodetsky, and F. Y. Khalili, “Optical bars in gravitational wave antennas,” *Phys. Lett. A*, vol. 232, p. 340, 1997.
- [430] F. Y. Khalili, “Quantum speedmeter and laser interferometric gravitational-wave antennae.” <http://arxiv.org/abs/gr-qc/0211088v1>, 2002. [258](#)
- [431] H. Rehbein, H. Müller-Ebhardt, K. Somiya, C. Li, R. Schnabel, K. Danzmann, and Y. Chen, “Local readout enhancement for detuned signal-recycling interferometers,” *Phys. Rev. D*, vol. 76, p. 062002, 2007. [258](#)
- [432] C. M. Caves, “Quantum-mechanical noise in an interferometer,” *Phys. Rev. D*, vol. 23, pp. 1693–1708, Apr 1981. [259](#), [261](#), [262](#), [263](#)
- [433] M. Xiao, L.-A. Wu, and H. J. Kimble, “Precision measurement beyond the shot-noise limit,” *Phys. Rev. Lett.*, vol. 59, pp. 278–281, Jul 1987. [259](#), [262](#)
- [434] P. Grangier, R. E. Slusher, B. Yurke, and A. LaPorta, “Squeezed-light enhanced polarization interferometer,” *Phys. Rev. Lett.*, vol. 59, pp. 2153–2156, Nov 1987. [262](#)
- [435] K. McKenzie, D. A. Shaddock, D. E. McClelland, B. C. Buchler, and P. K. Lam, “Experimental demonstration of a squeezing-enhanced power-recycled michelson interferometer for gravitational wave detection,” *Phys. Rev. Lett.*, vol. 88, p. 231102, May 2002. [259](#), [265](#)
- [436] W. G. Unruh, *Quantum Optics, Experimental Gravitation and Measurement Theory*, ch. 6, p. 647. New York: Plenum, 1982. [259](#)
- [437] H. P. Yuen, “Contractive states and the standard quantum limit for monitoring free-mass positions,” *Phys. Rev. Lett.*, vol. 51, pp. 719–722, Aug 1983. [259](#), [262](#)
- [438] A. F. Pace, M. J. Collett, and D. F. Walls, “Quantum limits in interferometric detection of gravitational radiation,” *Phys. Rev. A*, vol. 47, pp. 3173–3189, Apr 1993.
- [439] M. T. Jaekel and S. Reynaud, “Quantum limits in interferometric measurements,” *Europhys. Lett.*, vol. 13, no. 4, pp. 301–306, 1990. [259](#), [262](#)

- [440] J. Harms, Y. I. Chen, S. Chelkowski, A. Franzen, H. Vahlbruch, K. Danzmann, and R. Schnabel, “Squeezed-input, optical-spring, signal-recycled gravitational-wave detectors,” *Phys. Rev. D*, vol. 68, p. 042001, Aug 2003. 259, 265
- [441] A. Buonanno and Y. Chen, “Improving the sensitivity to gravitational-wave sources by modifying the input-output optics of advanced interferometers,” *Phys. Rev. D*, vol. 69, p. 102004, May 2004. 259, 260
- [442] S. Chelkowski, H. Vahlbruch, B. Hage, A. Franzen, N. Lastzka, K. Danzmann, and R. Schnabel, “Experimental characterization of frequency-dependent squeezed light,” *Phys. Rev. A*, vol. 71, no. 1, p. 013806, 2005. 259
- [443] H. Vahlbruch, S. Chelkowski, B. Hage, A. Franzen, K. Danzmann, and R. Schnabel, “Demonstration of a squeezed-light-enhanced power- and signal-recycled michelson interferometer,” *Phys. Rev. Lett.*, vol. 95, no. 21, p. 211102, 2005. 259, 265
- [444] T. Corbitt, N. Mavalvala, and S. Whitcomb, “Optical cavities as amplitude filters for squeezed fields,” *Phys. Rev. D*, vol. 70, p. 022002, Jul 2004. 259
- [445] F. Y. Khalili, “Increasing future gravitational-wave detectors’ sensitivity by means of amplitude filter cavities and quantum entanglement,” *Phys. Rev. D*, vol. 77, p. 062003, Mar 2008. 259
- [446] F. Y. Khalili, H. Miao, and Y. Chen, “Increasing the sensitivity of future gravitational-wave detectors with double squeezed-input,” *Phys. Rev. D*, vol. 80, p. 042006, Aug 2009. 259, 268
- [447] F. Y. Khalili, “Optimal configurations of filter cavity in future gravitational-wave detectors.” <http://arxiv.org/abs/1003.2859>. 259
- [448] S. P. Vyatchanin and A. B. Matsko *JETP*, vol. 77, p. 218, 1993. 259
- [449] S. P. Vyatchanin and E. A. Zubova, “Quantum variation measurement of a force,” *Physics Letters A*, vol. 201, no. 4, pp. 269 – 274, 1995. 259
- [450] Y. Chen, S. L. Danilishin, F. Y. Khalili, and H. Müller-Ebhardt, “Qnd measurements for future gravitational-wave detectors,” *Gen. Relativ. Gravit.*, 2010. 260
- [451] H. Vahlbruch, *Squeezed Light for Gravitational Wave Astronomy*. PhD thesis, Leibniz Universität Hannover, 2008. 17, 263, 266
- [452] H. P. Yuen, “Two-photon coherent states of the radiation field,” *Phys. Rev. A*, vol. 13, pp. 2226–2243, Jun 1976. 261
- [453] D. F. Walls, “Squeezed states of light,” *Nature*, vol. 306, pp. 141–146, 1983. 261, 262
- [454] G. Breitenbach, S. Schiller, and J. Mlynek, “Measurement of the quantum states of squeezed light,” *Nature*, vol. 387, pp. 471–475, 1997.
- [455] V. V. Dodonov, “‘nonclassical’ states in quantum optics: a ‘squeezed’ review of the first 75 years,” *Journal of Optics B: Quantum Semiclass.*, vol. 4, pp. R1–R33, 2002. 261
- [456] C. C. Gerry and P. L. Knight, *Introductory quantum optics*. Cambridge University Press, 2004. 261, 262, 264
- [457] J. DiGuglielmo, B. Hage, A. Franzen, J. Fiurášek, and R. Schnabel, “Experimental characterization of gaussian quantum-communication channels,” *Phys. Rev. A*, vol. 76, p. 012323, Jul 2007. 262
- [458] R. E. Slusher, L. W. Hollberg, B. Yurke, J. C. Mertz, and J. F. Valley, “Observation of squeezed states generated by four-wave mixing in an optical cavity,” *Phys. Rev. Lett.*, vol. 55, pp. 2409–2412, Nov 1985. 262, 263, 264
- [459] C. M. Caves, “Quantum-mechanical radiation-pressure fluctuations in an interferometer,” *Phys. Rev. Lett.*, vol. 45, pp. 75–79, Jul 1980. 262

- [460] K. S. Thorne, R. W. P. Drever, C. M. Caves, M. Zimmermann, and V. D. Sandberg, “Quantum nondemolition measurements of harmonic oscillators,” *Phys. Rev. Lett.*, vol. 40, pp. 667–671, Mar 1978. [262](#)
- [461] V. B. Braginsky and F. Y. Khalili, “Quantum nondemolition measurements: the route from toys to tools,” *Rev. Mod. Phys.*, vol. 68, pp. 1–11, Jan 1996. [262](#)
- [462] W. G. Unruh, *Quantum noise in the interferometer detector*. Plenum, 1983. [262](#)
- [463] C. M. Caves, “Defense of the standard quantum limit for free-mass position,” *Phys. Rev. Lett.*, vol. 54, pp. 2465–2468, Jun 1985. [262](#)
- [464] D. Vitali, S. Gigan, A. Ferreira, H. R. Böhm, P. Tombesi, A. Guerreiro, V. Vedral, A. Zeilinger, and M. Aspelmeyer, “Optomechanical entanglement between a movable mirror and a cavity field,” *Phys. Rev. Lett.*, vol. 98, p. 030405, Jan 2007. [262](#)
- [465] S. Pirandola, D. Vitali, P. Tombesi, and S. Lloyd, “Macroscopic entanglement by entanglement swapping,” *Phys. Rev. Lett.*, vol. 97, p. 150403, Oct 2006. [262](#)
- [466] H. Müller-Ebhardt, H. Rehbein, R. Schnabel, and Y. Danzmann, K. and Chen, “Entanglement of macroscopic test masses and the standard quantum limit in laser interferometry,” *Phys. Rev. Lett.*, vol. 100, p. 013601, Jan 2008. [262](#)
- [467] R. M. Shelby, M. D. Levenson, S. H. Perlmuter, R. G. DeVoe, and D. F. Walls, “Broad-band parametric deamplification of quantum noise in an optical fiber,” *Phys. Rev. Lett.*, vol. 57, pp. 691–694, Aug 1986. [263](#), [264](#)
- [468] L.-A. Wu, H. J. Kimble, J. L. Hall, and H. Wu, “Generation of squeezed states by parametric down conversion,” *Phys. Rev. Lett.*, vol. 57, pp. 2520–2523, Nov 1986. [263](#), [264](#)
- [469] H. Bachor and T. C. Ralph, *A Guide to Experiments in Quantum Optics*. Wiley-VCH, 2004. [263](#), [264](#)
- [470] M. Frede, R. Wilhelm, and D. Kracht, “250 W end-pumped Nd:YAG laser with direct pumping into the upper laser level,” *Optics Letters*, vol. 31, pp. 3618–3619, 2006. [263](#), [314](#)
- [471] A. Furusawa, J. L. Sørensen, S. L. Braunstein, C. A. Fuchs, H. J. Kimble, and E. S. Polzik, “Unconditional Quantum Teleportation,” *Science*, vol. 282, no. 5389, pp. 706–709, 1998. [264](#)
- [472] W. P. Bowen, N. Treps, B. C. Buchler, R. Schnabel, T. C. Ralph, H.-A. Bachor, T. Symul, and P. K. Lam, “Experimental investigation of continuous-variable quantum teleportation,” *Phys. Rev. A*, vol. 67, p. 032302, Mar 2003.
- [473] K. Schneider, M. Lang, J. Mlynek, and S. Schiller, “Generation of strongly squeezed continuous-wave light at 1064 nm,” *Opt. Express*, vol. 2, no. 3, pp. 59–64, 1998.
- [474] P. K. Lam, T. C. Ralph, B. C. Buchler, D. E. McClelland, H.-A. Bachor, and J. Gao, “Optimization and transfer of vacuum squeezing from an optical parametric oscillator,” *Journal of Optics B: Quantum and Semiclassical Optics*, vol. 1, no. 4, p. 469, 1999. [264](#)
- [475] M. D. Reid and P. D. Drummond, “Correlations in nondegenerate parametric oscillation: Squeezing in the presence of phase diffusion,” *Phys. Rev. A*, vol. 40, pp. 4493–4506, Oct 1989. [264](#)
- [476] H. Vahlbruch, A. Khalaidovski, N. Lastzka, C. Gräf, K. Danzmann, and R. Schnabel, “The geo 600 squeezed light source,” *Classical and Quantum Gravity*, vol. 27, no. 8, p. 084027, 2010. [17](#), [266](#), [267](#)
- [477] W. P. Bowen, R. Schnabel, N. Treps, H.-A. Bachor, and P. K. Lam, “Recovery of continuous wave squeezing at low frequencies,” *Journal of Optics B: Quantum and Semiclassical Optics*, vol. 4, no. 6, p. 421, 2002. [264](#)
- [478] R. Schnabel, H. Vahlbruch, A. Franzen, S. Chelkowski, N. Grosse, H.-A. Bachor, W. Bowen, P. Lam, and K. Danzmann, “Squeezed light at sideband frequencies below 100 khz from a single opa,” *Optics Communications*, vol. 240, no. 1-3, pp. 185 – 190, 2004. [264](#)

- [479] K. McKenzie, N. Grosse, W. P. Bowen, S. E. Whitcomb, M. B. Gray, D. E. McClelland, and P. K. Lam, "Squeezing in the audio gravitational-wave detection band," *Phys. Rev. Lett.*, vol. 93, p. 161105, Oct 2004. [264](#)
- [480] K. McKenzie, E. E. Mikhailov, K. Goda, P. K. Lam, N. Grosse, M. B. Gray, N. Mavalvala, and D. E. McClelland, "Quantum noise locking," *Journal of Optics B: Quantum and Semiclassical Optics*, vol. 7, no. 10, p. S421, 2005. [264](#)
- [481] H. Vahlbruch, S. Chelkowski, B. Hage, A. Franzen, K. Danzmann, and R. Schnabel, "Coherent control of vacuum squeezing in the gravitational-wave detection band," *Physical Review Letters*, vol. 97, no. 1, p. 011101, 2006. [264](#)
- [482] H. Vahlbruch, S. Chelkowski, K. Danzmann, and R. Schnabel, "Quantum engineering of squeezed states for quantum communication and metrology," *New Journal of Physics*, vol. 9, no. 10, p. 371, 2007. [265](#)
- [483] K. McKenzie, M. B. Gray, P. K. Lam, and D. E. McClelland, "Technical limitations to homodyne detection at audio frequencies," *Appl. Opt.*, vol. 46, no. 17, pp. 3389–3395, 2007. [265](#)
- [484] J. Gea-Banacloche and G. Leuchs, "Squeezed states for interferometric gravitational-wave detectors," *Journal of Modern Optics*, vol. 34, no. 6, pp. 798–811, 1987. [265](#)
- [485] K. Goda, O. Miyakawa, E. E. Mikhailov, S. Saraf, R. Adhikari, K. McKenzie, R. Ward, S. Vass, A. J. Weinstein, and N. Mavalvala, "A quantum-enhanced prototype gravitational-wave detector," *Nature Physics*, vol. 4, pp. 472–476, 2008. [265](#)
- [486] R. Schnabel, "Gravitational wave detectors: Squeezing up the sensitivity," *Nat Phys*, vol. 4, pp. 440–441, 2008. [265](#)
- [487] Y. Takeno, M. Yukawa, H. Yonezawa, and A. Furusawa, "Observation of -9 db quadrature squeezing with improvement of phasestability in homodyne measurement," *Opt. Express*, vol. 15, no. 7, pp. 4321–4327, 2007. [266](#)
- [488] H. Vahlbruch, M. Mehmet, S. Chelkowski, B. Hage, A. Franzen, N. Lastzka, S. G. Iyer, K. Danzmann, and R. Schnabel, "Observation of squeezed light with 10-db quantum-noise reduction," *Physical Review Letters*, vol. 100, no. 3, p. 033602, 2008.
- [489] E. S. Polzik, "Quantum physics: The squeeze goes on," *Nature*, vol. 453, pp. 45–46, 2008. [266](#)
- [490] M. Mehmet, S. Steinlechner, T. Eberle, H. Vahlbruch, A. Thüring, K. Danzmann, and R. Schnabel, "Observation of cw squeezed light at 1550 nm," *Opt. Lett.*, vol. 34, no. 7, pp. 1060–1062, 2009. [266](#)
- [491] K. McKenzie, M. B. Gray, S. Gossler, P. K. Lam, and D. E. McClelland, "Squeezed state generation for interferometric gravitational-wave detection," *Classical and Quantum Gravity*, vol. 23, no. 8, p. S245, 2006. [266](#)
- [492] S. K. Ryutarō Takahashi, Koji Arai, "Direct measurement of the scattered light effect on the sensitivity in tama300," *Phys. Rev. D*, vol. 70, p. 062003, 2004. [279](#)
- [493] C. Bond, "Laguerre-gauss mode degeneracy in gravitational wave detectors." (Fourth Year Project Report, Internal document), 2010. [280](#), [312](#)
- [494] D. Shoemaker, "Future limits to sensitivity." G010026-00-G, 2001. [287](#)
- [495] G. Conforto and R. DeSalvo, "Proposal for lower frequency companions for the advanced ligo gravitational wave interferometric detectors," *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 518, no. 1-2, pp. 228 – 232, 2004. *Frontier Detectors for Frontier Physics: Proceedin.* [287](#)
- [496] S. Chelkowski, S. Hild, and A. Freise, "Prospects of higher-order laguerre-gauss modes in future gravitational wave detectors," *Phys. Rev. D*, vol. 79, p. 122002, Jun 2009. [289](#), [331](#)

- [497] E. Tournefier, “News from virgo : present statud and future upgrades.” in2p3-00422110, version 1, October 2009. [291](#)
- [498] M. Lorenzini and the Virgo Collaboration, “The monolithic suspension for the Virgo interferometer,” *Classical and Quantum Gravity*, vol. 27, no. 8, p. 084021, 2010. [291](#)
- [499] O. L. Anderson and H. E. Bömmel, “Ultrasonic absorption in fused silica at low temperatures and high frequencies,” *Journal of the American Ceramic Society*, vol. 38, no. 4, pp. 125–131, 1955. [292](#)
- [500] C. Schwarz, R. Nawrodt, D. Heinert, M. Thuerk, R. Neubert, W. Vodel, A. Tünnermann, and P. Seidel, “Cryogenic setup for Q-factor measurements on bulk materials for future gravitational wave detectors,” in *Proceedings of ICEC22-ICMC2008* (H.-M. Chang and other, eds.), The Korea Institute of Applied Superconductivity and Cryogenics, 2009. [292](#), [295](#)
- [501] J. Franc *et al.*, “Mirror thermal noise in laser interferometer gravitational wave detectors operating at room and cryogenic temperatures.” ET document ET 09021, 2009. [292](#), [295](#), [309](#), [336](#)
- [502] T. Tomaru, T. Uchiyama, D. Tatsumi, S. Miyoki, M. Ohashi, K. Kuroda, T. Suzuki, A. Yamamoto, and T. Shintomi, “Cryogenic measurement of the optical absorption coefficient in sapphire crystals at 1.064 μ m for the large-scale cryogenic gravitational wave telescope,” *Physics Letters A*, vol. 283, no. 1-2, pp. 80 – 84, 2001. [292](#)
- [503] C. T. Taylor, M. Notcutt, E. K. Wong, A. G. Mann, and D. G. Blair, “Measurement of the coefficient of thermal expansion of a cryogenic, all-sapphire, fabry-perot optical cavity,” *Optics Communications*, vol. 131, no. 4-6, pp. 311 – 314, 1996. [292](#)
- [504] T. Uchiyama, T. Tomaru, M. E. Tobar, D. Tatsumi, S. Miyoki, M. Ohashi, K. Kuroda, T. Suzuki, N. Sato, T. Haruyama, A. Yamamoto, and T. Shintomi, “Mechanical quality factor of a cryogenic sapphire test mass for gravitational wave detectors,” *Physics Letters A*, vol. 261, no. 1-2, pp. 5 – 11, 1999. [292](#), [295](#)
- [505] A. L. Alexandrovski, M. M. Fejer, and R. K. Route, “Effect of annealing on the light absorption in sapphire,” in *Gravitational Waves - 3rd Edoardo Amaldi Conference*, 2000. [292](#)
- [506] L. collaboration, “LCGT design document (ver. 3),” tech. rep., JGW-T0400030, 2009. [292](#)
- [507] M. Tokunari, T. Saito, S. Miyoki, M. Ohashi, and K. Kuroda, “Optical properties measurement of an Al₂O₃ mirror substrate for the large-scale cryogenic gravitational wave telescope (LCGT),” *Class. Quantum Grav.*, vol. 27, p. 185015, 2010. [292](#)
- [508] M. Punturo *et al.*, “The third generation of gravitational wave observatories and their science reach,” *Classical and Quantum Gravity*, vol. 27, no. 8, p. 084007, 2010. [292](#)
- [509] J. Software, “Material properties data base.” [292](#), [296](#)
- [510] M. A. Green and M. J. Keevers, “Optical properties of intrinsic silicon at 300 k,” *Progress in Photovoltaics: Research and Applications*, vol. 3, pp. 189–192, 1995. [293](#)
- [511] M. J. Keevers and M. A. Green, “Absorption edge of silicon from solar cell spectral response measurements,” *Applied Physics*, vol. 66, 1995. [293](#)
- [512] B. J. Frey, D. B. Leviton, and T. J. Madison, “Temperature-dependent refractive index of silicon and germanium,” in *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, vol. 6273 of *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*, July 2006. [293](#), [295](#), [302](#)
- [513] G. K. White and M. L. Minges, “Thermophysical properties of some key solids,” *International Journal of Thermophysics*, vol. 15, pp. 1333–1343, 1994. 10.1007/BF01458841. [295](#)
- [514] R. Hull, *Properties of Crystalline Silicon*. The Institution of Engineering and Technology, 1999. [295](#), [337](#)
- [515] T. Tomaru *et al.*, “Thermal lensing in cryogenic sapphire substrates,” *Classical and Quantum Gravity*, vol. 19, p. 2045, 2002. [295](#)

- [516] D. B. Leviton and B. J. Frey, “Temperature-dependent absolute refractive index measurements of synthetic fused silica,” vol. 6273, p. 62732K, SPIE, 2006. [295](#)
- [517] A. A. A. Another, “Comingsoon,” *A*, vol. 1, p. 1, 2000. [295](#), [296](#)
- [518] I. H. Malitson, “Refraction and Dispersion of Synthetic Sapphire,” *J. Opt. Soc. Am.*, vol. 52, pp. 1377–1379, Dec 1962. [295](#)
- [519] G. M. Harry, A. M. Gretarsson, P. R. Saulson, S. E. Kittelberger, S. D. Penn, W. J. Startin, S. Rowan, M. M. Fejer, D. R. M. Crooks, G. Cagnoli, J. Hough, and N. Nakagawa, “Thermal noise in interferometric gravitational wave detectors due to dielectric optical coatings,” *Classical and Quantum Gravity*, vol. 19, no. 5, p. 897, 2002. [297](#), [298](#)
- [520] G. M. Harry, H. Armandula, E. Black, D. R. M. Crooks, G. Cagnoli, J. Hough, P. Murray, S. Reid, S. Rowan, P. Sneddon, M. M. Fejer, R. Route, and S. D. Penn, “Thermal noise from optical coatings in gravitational wave detectors,” *Appl. Opt.*, vol. 45, pp. 1569–1574, Mar 2006. [297](#), [298](#)
- [521] V. B. Braginsky, M. L. Gorodetsky, and S. P. Vyatchanin, “Thermodynamical fluctuations and photo-thermal shot noise in gravitational wave antennae,” *Physics Letters A*, vol. 264, no. 1, pp. 1 – 10, 1999. [297](#)
- [522] M. Cerdonio, L. Conti, A. Heidmann, and M. Pinard, “Thermoelastic effects at low temperatures and quantum limits in displacement measurements,” *Phys. Rev. D*, vol. 63, p. 082003, Mar 2001. [297](#)
- [523] R. Nawrodt *et al.*, “Mirror thermal noise calculation for ET.” ET document ET 09027, 2009. [297](#), [336](#)
- [524] F. Bondu, P. Hello, and J.-Y. Vinet, “Thermal noise in mirrors of interferometric gravitational wave antennas,” *Physics Letters A*, vol. 246, no. 3-4, pp. 227 – 236, 1998. [298](#)
- [525] Y. T. Liu and K. S. Thorne, “Thermoelastic noise and homogeneous thermal noise in finite sized gravitational-wave test masses,” *Phys. Rev. D*, vol. 62, p. 122002, Nov 2000. [298](#)
- [526] V. B. Braginsky and S. V. Vyatchanin, “Corner reflectors and quantum non-demolition measurements in gravitational wave antennae,” *Physics Letters A*, vol. 324, pp. 345–360, 2004. [301](#)
- [527] B. Benthem and Y. Levin, “Thermorefractive and thermomechanical noise in the beamsplitter of the GEO600 gravitational-wave interferometer,” *Phys. Rev. D*, vol. 80, 2009. [301](#), [307](#)
- [528] J. Franc, J. Degallaix, and R. Flaminio, “Substrate thermo-refractive noise for future cryogenic gravitational wave detector.” ET-00095A-10, 2010. [301](#)
- [529] B. Caron *et al.*, “SIESTA, a time domain, general purpose simulation program for the VIRGO experiment,” *Astroparticle Physics*, vol. 10, pp. 369–386, 1999. [312](#)
- [530] M. Galimberti, “Requirements for et arm cavity mirrors.” Talk at WP2-WP3 joint meeting, Jena, March 2010. [312](#)
- [531] M. Galimberti and R. Flaminio, “Surface specifications for ET mirrors: state of the art.” ET-0133A-10, November 2010.
- [532] M. Galimberti and R. Flaminio, “Mirror requirements for 3rd generation GW detectors.” Talk at GWADW 2010, Kyoto, May 2010. [312](#)
- [533] J. Deile, R. Brockmann, and D. Havrilla, “Current status and most recent developments of industrial high power disk lasers,” in *Conference on Lasers and Electro-Optics/International Quantum Electronics Conference*, p. CThA4, Optical Society of America, 2009. [313](#)
- [534] Y. Kalisky and O. Kalisky, “The status of high-power lasers and their applications in the battlefield,” *Optical Engineering*, vol. 49, no. 9, p. 091003, 2010. [313](#)
- [535] A. Giesen and J. Speiser, “Fifteen years of work on thin-disk lasers: Results and scaling laws,” *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 13, no. 3, pp. 598–609, 2007. [313](#)

- [536] Q. Lü, N. Kugler, H. Weber, S. Dong, N. Müller, and U. Wittrock, "A novel approach for compensation of birefringence in cylindrical Nd:YAG rods," *Optical and Quantum Electronics*, vol. 28, pp. 59–69, 1996. **313**
- [537] W. Koechner and D. K. Rice, "Birefringence of YAG:Nd laser rods as a function of growth direction," *Journal of the Optical Society of America*, vol. 61, pp. 758–766, 1971. **314**
- [538] L. N. Soms, A. A. Tarasov, and V. V. Shashkin, "Problem of depolarization of linearly polarized light by a YAG: Nd³⁺ laser-active element under thermally induced birefringence conditions," *Soviet Journal of Quantum Electronics*, vol. 10, pp. 350–351, 1980. **314**
- [539] I. Shoji and T. Taira, "Intrinsic reduction of the depolarization loss in solid-state lasers by use of a (110)-cut Y₃Al₅O₁₂ crystal," *Applied Physics Letters*, vol. 80, pp. 3048–3050, 2002. **314**
- [540] O. Puncken, H. Tünnermann, J. J. Morehead, P. Weßels, M. Frede, J. Neumann, and D. Kracht, "Intrinsic reduction of the depolarization in Nd:YAG crystals," *Optics Express*, vol. 18, pp. 20461–20474, 2010. **314**
- [541] R. Wilhelm, D. Freiburg, M. Frede, D. Kracht, and C. Fallnich, "Design and comparison of composite rod crystals for power scaling of diode end-pumped Nd:YAG lasers," *Optics Express*, vol. 17, pp. 8229–8236, 2009. **314**
- [542] R. Wilhelm, M. Frede, and D. Kracht, "Power scaling of end-pumped solid-state rod lasers by longitudinal dopant concentration gradients," *IEEE Journal of Quantum Electronics*, vol. 44, pp. 232–244, 2008. **314**
- [543] R. Lavi and S. Jackel, "Thermally boosted pumping of neodymium lasers," *Applied Optics*, vol. 39, pp. 3093–3098, 2000. **314**
- [544] D. Kracht, D. Freiburg, R. Wilhelm, M. Frede, and C. Fallnich, "Core-doped ceramic Nd:YAG laser," *Optics Express*, vol. 14, pp. 2690–2694, 2006. **314**
- [545] S. Bedö, W. Lüthy, and H. P. Weber, "The effective absorption coefficient in double-clad fibres," *Optics Communications*, vol. 99, pp. 331–335, 1993. **314**
- [546] J. Limpert, F. Röser, S. Klingebiel, T. Schreiber, C. Wirth, T. Peschel, R. Eberhardt, and A. Tünnermann, "The rising power of fiber lasers and amplifiers," *IEEE J. of Selected Topics in Quantum Electronics*, vol. 13, pp. 537–545, 2007. **314**
- [547] Y. Jeong, J. K. Sahu, D. N. Payne, and J. Nilsson, "Ytterbium-doped large-core fibre laser with 1kW of continuous-wave output power," *Electronics Letters*, vol. 40, pp. 470–472, 2004. **314**
- [548] M. Hildebrandt, M. Frede, P. Kwee, B. Willke, and D. Kracht, "Single-frequency master-oscillator photonic crystal fiber amplifier with 148 W output power," *Optics Express*, vol. 14, pp. 11071–11076, 2006. **314**
- [549] C. Robin, I. Dajani, C. Vergien, C. Zeringue, and T. M. Shay, "Experimental and theoretical studies of single frequency PCF amplifier with output of 400 W," in *Fiber Lasers VII: Technology, Systems, and Applications* (K. Tankala, ed.), vol. 7580, p. 75801I, SPIE, 2010. **314**
- [550] G. Canat, S. Jetschke, S. Unger, L. Lombard, P. Bourdon, J. Kirchhof, V. Jolivet, A. Dolfi, and O. Vasseur, "Multifilament-core fibers for high energy pulse amplification at 1.5 μm with excellent beam quality," *Optics Letters*, vol. 33, pp. 2701–2703, 2008. **314**
- [551] M. M. Vogel, M. Abdou-Ahmed, A. Voss, and T. Graf, "Very-large-mode-area, single-mode multicore fiber," *Optics Letters*, vol. 34, pp. 2876–2878, 2009. **314**
- [552] G. Canat, R. Spittel, S. Jetschke, L. Lombard, and P. Bourdon, "Analysis of the multifilament core fiber using the effective index theory," *Optics Express*, vol. 18, pp. 4644–4654, 2010. **314**
- [553] V. Kuhn, S. Unger, S. Jetschke, D. Kracht, J. Neumann, J. Kirchhof, and P. Wessels, "Experimental comparison of fundamental mode content in Er:Yb-codoped LMA fibers with multifilament- and pedestal-design cores," *Journal of Lightwave Technology*, vol. PP, no. 99, pp. 1–1, 2010. **314**

- [554] J. W. Nicholson, M. F. Yan, P. Wisk, J. Fleming, F. DiMarcello, E. Monberg, T. Taunay, C. Headley, and D. J. DiGiovanni, “Raman fiber laser with 81 W output power at 1480 nm,” *Optics Letters*, vol. 35, pp. 3069–3071, 2010. [315](#)
- [555] Y. Jeong, J. K. Sahu, D. B. S. Soh, C. A. Codemard, and J. Nilsson, “High-power tunable single-frequency single-mode erbium:ytterbium codoped large-core fiber master-oscillator power amplifier source,” *Optics Letters*, vol. 30, pp. 2997–2999, 2005. [315](#)
- [556] V. Kuhn, P. Wessels, J. Neumann, and D. Kracht, “Stabilization and power scaling of cladding pumped Er:Yb-codoped fiber amplifier via auxiliary signal at 1064 nm,” *Optics Express*, vol. 17, pp. 18304–18311, 2009. [315](#)
- [557] S. Ramachandran, J. Fini, M. Mermelstein, J. Nicholson, S. Ghalmi, and M. Yan, “Ultra-large effective-area, higher-order mode fibers: a new strategy for high-power lasers,” *Laser & Photonics Reviews*, vol. 2, pp. 429–448, 2008. [315](#)
- [558] J. W. Nicholson, A. M. DeSantolo, S. Ghalmi, J. M. Fini, J. Fleming, E. Monberg, F. DiMarcello, and S. Ramachandran, “Nanosecond pulse amplification in a higher-order-mode erbium-doped fiber amplifier,” in *Conference on Lasers and Electro-Optics*, p. CPDB5, Optical Society of America, 2010. [315](#)
- [559] J. W. Nicholson *et al.*, “A higher-order-mode erbium-doped-fiber amplifier,” *Opt. Express*, vol. 18, no. 17, pp. 17651–17657, 2010. [315](#)
- [560] J.-Y. Vinet, “On special optical modes and thermal issues in advanced gravitational wave interferometric detectors,” *Living Reviews in Relativity*, vol. 12, no. 5, 2009. [315](#)
- [561] E. Genin, M. Mantovani, and P. Ruggi, “Advanced virgo inj: Radiation pressure effects in the advanced virgo imc longitudinal and angular directions,” 2009. [316](#)
- [562] M. Punturo, “Radiation pressure effects on virgo mode cleaner,” tech. rep., VIR-NOT-PER-1390-284, 2004. [316](#)
- [563] B. Canuel, R. Day, E. Genin, P. L. Penna, M. Mantovani, J. Marque, and F. Paoletti, “AdV INJ: Preliminary design study,” tech. rep., VIR-0023A-09, 2009. [316](#)
- [564] E. Genin, J. Marque, B. Swinkels, and G. Vajente, “Virgo Input Mode Cleaner: Optical characterization,” 2010. [316](#)
- [565] M. Barsuglia, “Some considerations about Laguerre-Gaussian modes for advanced Virgo,” tech. rep., Presentation at AdV bi-weekly meeting July 1, 2008. [317](#)
- [566] S. Chelkowski, “Advanced virgo with higher order lg modes, implications for mirror radii of curvature,” tech. rep., Presentation at Virgo week July 2008, VIR-0668A-08, 2008. [317](#)
- [567] E. Khazanov *et al.*, “Compensation of thermally induced modal distortions in faraday isolators,” *IEEE Journal of Quantum Electronics*, vol. 40, p. 10, 2004. [317](#)
- [568] B. Canuel, R. Day, E. Genin, F. Nocera, and F. Paoletti, “High power input optics r+d : Final report,” tech. rep., VIR-0296A-10, 2010. [317](#), [318](#)
- [569] E. Genin, “Advanced Virgo INJ: Faraday isolator, electro-optical modulator, high power beam dump and input mode-cleaner,” 2010. [317](#), [318](#)
- [570] N. Mavalvala, D. McClelland, G. Mueller, D. Reitze, R. Schnabel, and B. Willke, “Lasers and optics: looking towards third generation gravitational wave detectors,” *General Relativity and Gravitation*, vol. 2010. [317](#)
- [571] J. D. Mansell *et al.* *Appl. Opt.*, vol. 40, pp. 366–374, 2001. [317](#)
- [572] L. Schnupp, “Presentation at european collaboration meeting on interferometric detection of gravitational waves.” (Sorrent, Italy, Oct 1988), 1988. [319](#)

- [573] A. Michelson and E. Morley, “On the relative motion of the earth and the luminiferous ether,” *Am. J.Sci. (3rd series)*, vol. 34, pp. 333–345, 1887. [319](#)
- [574] P. Fritschel, “talk at Technical Plenary Session of the LSC meeting 2003,” 2003. [319](#)
- [575] R.L.Ward *et al.*, “dc readout experiment at the caltech 40m prototype interferometer,” *Class. Quantum Grav.*, vol. 25, p. 114030, 2008. [319](#)
- [576] S. Hild, H. Grote, M. Hewitson, H. Lück, J. R. Smith, K. A. Strain, B. Willke, and K. Danzmann, “Demonstration and comparison of tuned and detuned signal recycling in a large-scale gravitational wave detector,” *Classical and Quantum Gravity*, vol. 24, no. 6, pp. 1513–1523, 2007. [319](#), [320](#)
- [577] A. Buonanno, Y. Chen, and N. Mavalvala, “Quantum noise in laser-interferometer gravitational-wave detectors with a heterodyne readout scheme,” *Phys. Rev. D*, vol. 67, p. 122005, Jun 2003. [320](#)
- [578] M. Hewitson *et al.*, “Optimal time-domain combination of the two calibrated output quadratures of GEO 600,” *Classical and Quantum Gravity*, vol. 22, pp. 4253–4261, 2005. [320](#)
- [579] R.Lawrence *et al.*, “Adaptive thermal compensation of test masses in advanced ligo,” *Class. Quantum Grav.*, vol. 19, p. 1803, 2002. [320](#)
- [580] V.Chickarmane *et al.*, “Squeezed light in a frontal-phase-modulated signal-recycled interferomete,” *Phys. Rev. A*, vol. 57, pp. 3898–3912, 1998. [320](#)
- [581] R. W. P. Drever, J. L. Hall, F. V. Kowalski, J. Hough, and G. M. Ford, “Laser phase and frequency stabilization using an optical resonator,” *Appl. Phys. B*, vol. 31, p. 97, 1983. [321](#)
- [582] S. Sato, S. Kawamura, K. Kokeyama, F. Kawazoe, and K. Somiya, “Diagonalization of the length sensing matrix of a dual recycled laser interferometer gravitational wave antenna,” *Phys. Rev. D*, vol. 75, p. 082004, Apr 2007. [321](#)
- [583] R. Abbott *et al.*, “Advanced LIGO Length Sensing and Control Final Design,” tech. rep., June 2010. [20](#), [322](#)
- [584] M. Evans *et al.*, “Lock acquisition of a gravitational-wave interferometer,” *Optics Letters*, vol. 27, p. 598, 2002. [324](#)
- [585] F. Acernese *et al.*, “The variable finesse locking technique,” *Classical and Quantum Gravity*, vol. 23, no. 8, p. S85, 2006. [324](#)
- [586] L. Barsotti and M. Evans, “Lock acquisition study for advanced LIGO,” June 2010. [324](#)
- [587] M. Evans, P. Fritschel, D. McClelland, J. Miller, A. Mullavey, D. Shaddock, B. Slagmolen, and S. Waldman, “Advanced LIGO Arm Length Stabilization System Design,” tech. rep., October 2010. [20](#), [325](#)
- [588] B. Slagmolen, G. de Vine, D. Rabeling, K. McKenzie, A. Mullavey, D. Shaddock, D. McClelland, M. Evans, and Y. Aso, “Advanced LIGO Arm Cavity Pre-Lock Acquisition System,” tech. rep., July 2008. [325](#)
- [589] A. J. Mullavey, B. J. J. Slagmolen, D. A. Shaddock, and D. E. McClelland, “Stable transfer of an optical frequency standard via a 4.6 km optical fiber,” *Optics Express*, vol. 18, pp. 5213–5220, 2010. [326](#)
- [590] E. Morrison *et al.* *Appl. Opt.*, vol. 33, p. 504, 1994. [326](#)
- [591] J. Sidles and D. Sigg, “Optical torques in suspended fabry-perot interferometers,” *Phys. Lett. A*, vol. 354, pp. 167–172. [326](#)
- [592] P. Willems *et al.*, “LIGO-G0900182-v1 - Thermal Compensation in Enhanced LIGO,” tech. rep., 2009. [327](#)
- [593] T. Accadia *et al.*, “A Thermal Compensation System for the gravitational wave detector Virgo,” *In Proceedings of the 12th Marcell Grossmann Meeting, Paris, July 2009, in press.*
- [594] T. Accadia *et al.*, “Commissioning status of the Virgo interferometer,” *Class. Quantum Grav.*, vol. 27, 2010. [327](#)

- [595] L. Pinard, “VIR-0555A-09 - AdV substrates technical readiness review,” tech. rep., 2009. [327](#)
- [596] V. Fafone and A. Rocchi, “VIR-0669B-08 - TCS update,” tech. rep., 2008. [327](#)
- [597] V. Fafone, “VIR-0095A-10 - AdV Thermal Compensation System,” tech. rep., 2010. [328](#)
- [598] A. Rocchi, “Compensation of thermal effects in future detectors.” Talk to the Gravitational-Wave Advanced Detector Workshop, Kyoto, May, 2010. [328](#)
- [599] C. J. Kamp *et al.*, “Directional radiative cooling thermal compensation for gravitational wave interferometer mirrors,” *Nucl. Instrum. Methods A*, vol. 607, 2009. [329](#)
- [600] E. Coccia *et al.*, “VIR-0302A-10 - Investigation on the Directional Radiative Cooling,” tech. rep., 2010. [329](#), [330](#)
- [601] P. Savov and S. Vyatchanin, “Estimate of tilt instability of mesa-beam and Gaussian-beam modes for advanced LIGO,” *Phys. Rev. D*, vol. 74, p. 082002, 2006. [331](#)
- [602] P. Fulda, K. Kokeyama, S. Chelkowski, and A. Freise, “Experimental demonstration of higher-order Laguerre-Gauss mode interferometry,” *Phys. Rev. D*, vol. 82, p. 012002, Jul 2010. [331](#)
- [603] A. Bunkowski, O. Burmeister, D. Friedrich, K. Danzmann, and R. Schnabel, “High reflectivity grating waveguide coatings for 1064 nm,” *Classical and Quantum Gravity*, vol. 23, pp. 7297–7303, Dec. 2006. [334](#)
- [604] D. Rosenblatt, A. Sharon, and A. A. Friesem, “Resonant grating waveguide structures,” *IEEE JOURNAL OF QUANTUM ELECTRONICS*, vol. 33, p. 11, 1997. [334](#)
- [605] M. G. Moharam and T. K. Gaylord, “Rigorous coupled-wave analysis of planar-grating diffraction,” *J. Opt. Soc. Am.*, vol. 71, pp. Issue. 7, 811–818, 1981. [334](#), [335](#)
- [606] F. Brückner, D. Friedrich, T. Clausnitzer, O. Burmeister, M. Britzger, E.-B. Kley, K. Danzmann, A. Tünnermann, and R. Schnabel, “Demonstration of a cavity coupler based on a resonant waveguide grating,” *Opt. Express*, vol. 17, no. 1, pp. 163–169, 2009. [334](#)
- [607] F. Bruckner, D. Friedrich, T. Clausnitzer, M. Britzger, O. Burmeister, K. Danzmann, E.-B. Kley, A. Tünnermann, and R. Schnabel, “Realization of a monolithic high-reflectivity cavity mirror from a single silicon crystal,” *Physical Review Letters*, vol. 104, p. 163903, 2010. [335](#)
- [608] R. Nawrodt *et al.*, “Mechanical Q-factor measurements on a test mass with a structured surface,” *New Journal of Physics*, vol. 9, pp. 225–+, July 2007. [335](#)